

## **Select Specialty Hospital – Cleveland Fairhill**

### **Community Health Needs Assessment**

**2019**

## TABLE OF CONTENTS

---

TABLE OF CONTENTS.....	2
EXECUTIVE SUMMARY .....	4
Introduction .....	4
Community Definition .....	5
Significant Community Health Needs.....	5
Significant Community Health Needs: Discussion.....	6
Access to Affordable Health Care .....	6
Chronic Disease Prevention and Management.....	6
Socioeconomic Concerns .....	8
DATA AND ANALYSIS .....	10
Definition of Community Assessed .....	10
Secondary Data Summary .....	12
Demographics.....	12
Economic Indicators .....	13
Community Need Index™.....	13
Other Local Health Status and Access Indicators .....	14
Ambulatory Care Sensitive Conditions .....	15
Food Deserts.....	15
Medically Underserved Areas and Populations.....	15
Health Professional Shortage Areas .....	15
Relevant Findings of Other CHNAs.....	15
Significant Indicators.....	16
Primary Data Summary .....	18
OTHER FACILITIES AND RESOURCES IN THE COMMUNITY .....	20
Federally Qualified Health Centers .....	20
Hospitals .....	21
Other Community Resources.....	21
IMPACT EVALUATION .....	23
APPENDIX A – OBJECTIVES AND METHODOLOGY.....	24
Regulatory Requirements.....	24
Methodology .....	24
Collaborating Organizations.....	25

Data Sources .....	26
Information Gaps .....	26
Consultant Qualifications .....	26
APPENDIX B – SECONDARY DATA ASSESSMENT .....	28
Demographics.....	29
Economic indicators.....	36
People in Poverty.....	36
Unemployment .....	39
Insurance Status .....	40
Crime Rates .....	42
Housing Affordability.....	43
Dignity Health Community Need Index.....	46
Other Local Health Status and Access Indicators .....	50
County Health Rankings.....	51
Community Health Status Indicators.....	56
Ohio Department of Health .....	58
Behavioral Risk Factor Surveillance System .....	62
Ambulatory Care Sensitive Conditions.....	65
Food Deserts.....	67
Medically Underserved Areas and Populations .....	68
Health Professional Shortage Areas.....	70
Findings of Other Assessments .....	73
State Health Improvement Plan, 2017-2019.....	73
Cuyahoga County Community Health Assessment 2018.....	74
Ventilator Usage and Prevention.....	75
Dialysis and Renal Failure Prevention .....	75
Preventing Falls among Older Adults .....	75
Preventing Stroke .....	76
Preventing Traumatic Brain Injuries (TBI) .....	77
APPENDIX C – COMMUNITY INPUT PARTICIPANTS .....	78

### EXECUTIVE SUMMARY

---

#### Introduction

This Community Health Needs Assessment (CHNA) was conducted by Select Specialty Hospital – Cleveland Fairhill (“Fairhill” or “the hospital”) to identify significant community health needs and to inform development of an Implementation Strategy to address current needs.

Fairhill is a long term acute care (LTAC) hospital, designed to provide comprehensive, specialized care for high-acuity patients who need more time to recover, typically after critical care. Additional information on the hospital and its services is available at:

<https://clevelandfairhill.selectspecialtyhospitals.com/>

The hospital is a joint venture between Cleveland Clinic health system and Select Medical. The hospital is part of the Cleveland Clinic health system, which includes an academic medical center near downtown Cleveland, eleven regional hospitals in northeast Ohio, a children’s hospital, a children’s rehabilitation hospital, five southeast Florida hospitals, and a number of other facilities and services across Ohio, Florida, and Nevada. Additional information about Cleveland Clinic is available at: <https://my.clevelandclinic.org/>.

Select Medical is one of the largest providers of post-acute care, operating 100 critical illness recovery hospitals in 28 states, 28 rehabilitation hospitals in 12 states and 1,695 outpatient rehabilitation clinics in 37 states and the District of Columbia. Additionally, Select Medical's joint venture subsidiary Concentra operates 526 occupational health centers in 41 states. Concentra also provides contract services at employer worksites and Department of Veterans Affairs community-based outpatient clinics. At June 30, 2019, Select Medical had operations in 47 states and the District of Columbia. Additional information about Select Medical is available at: <https://www.selectmedical.com/>.

Each Cleveland Clinic hospital supports a tripartite mission of patient care, research, and education. Research is conducted at and in collaboration with all Cleveland Clinic hospitals. Through research, Cleveland Clinic has advanced knowledge and improved community health for all its communities, from local to national, and across the world. This allows patients to access the latest techniques and to enroll in research trials no matter where they access care in the health system. Through education, Cleveland Clinic helps to train health professionals who are needed and who provide access to health care across Ohio and the United States.

Cleveland Clinic facilities are dedicated to the communities they serve. Each facility conducts a CHNA in order to understand and plan for the current and future health needs of residents and patients in the communities it serves. The CHNAs inform the development of strategies designed to improve community health, including initiatives designed to address social determinants of health.


## EXECUTIVE SUMMARY

These assessments are conducted using widely accepted methodologies to identify the significant health needs of a specific community. The assessments also are conducted to comply with federal and state laws and regulations.

### Community Definition

For purposes of this report, Fairhill's community is defined as 51 ZIP codes in Cuyahoga County, Ohio, accounting for over 61 percent of the hospital's recent inpatient volumes. The community was defined by considering the geographic origins of the hospital's discharges in calendar year 2017 and the hospital's target populations and principal functions as a long-term acute care hospital. The total population of Fairhill's community in 2017 was 1,255,781.

The following map portrays the community served by Fairhill.



### Significant Community Health Needs

Fairhill's significant community health needs as determined by analyses of quantitative and qualitative data are:

- Access to Affordable Health Care

## EXECUTIVE SUMMARY

- Chronic Disease Prevention and Management
- Socioeconomic Concerns

### Significant Community Health Needs: Discussion

#### Access to Affordable Health Care

Access to affordable health care is challenging for some residents, particularly to primary care, mental health, dental care, addiction treatment services, and pain management services. Access barriers include cost, poverty, inadequate transportation, a lack of awareness regarding available services, and an undersupply of providers (mental health professionals, dentists, primary care physicians). (Sources: Exhibits 33, 34, 35, key stakeholder interviews).

Seventeen (17) community ZIP codes (home to 388,000 persons) have been identified as comparatively high need by the Dignity Health Community Need Index<sup>TM</sup>. In these ZIP codes, 59 percent of residents are Black, and the poverty rate is 37 percent (twice the Cuyahoga County average). Admissions for ambulatory care sensitive conditions in these ZIP codes (and across the community) have been comparatively high (Sources: Exhibits 23, 31).

Federally-designated Medically Underserved Areas (MUAs), Medically Underserved Populations (MUPs), Primary Care Health Professional Shortage Areas (HPSAs), and Dental Care HPSAs are present. The Fairhill community and Ohio as a whole need more health care professionals to meet current and future access needs.<sup>1</sup> (Sources: Exhibits 33, 34, 35, other assessments, key stakeholder interviews).

#### Chronic Disease Prevention and Management

Chronic diseases, including addiction and mental health, heart disease, hypertension, obesity, diabetes, COPD, and others are prevalent in the community served by the hospital. These health issues all contribute to conditions that lead to the need for long-term acute care.

Drug abuse, particularly the abuse of opioids, is a primary concern of individuals interviewed for this CHNA. Perceived over-prescribing of prescription drugs, poverty, and mental health problems were cited as contributing factors. Deaths due to “accidental poisoning by and exposure to drugs and other biological substances” have been increasing across Ohio, and in Cuyahoga County have been above average (Sources: Exhibit 27, other assessments, key stakeholder interviews).

Cuyahoga County ranks poorly for “percent of driving deaths with alcohol involvement,” compared to Ohio, national, and peer-county averages.

Ohio’s State Health Assessment and local health department assessments identify addressing alcohol abuse as a priority. (Sources: Exhibit 26, other assessments).

---

<sup>1</sup> Petterson, Stephen M; Cai, Angela; Moore, Miranda; Bazemore, Andrew. State-level projections of primary care workforce, 2010-2030. September 2013, Robert Graham Center, Washington, D.C.

## EXECUTIVE SUMMARY

Mental health also was identified by interviewees as a significant concern. Depression, suicide, hopelessness, and isolation (particularly among elderly residents and those exposed to traumas early in life) are perceived to be increasing in severity. Rates of depression have been highest in lower-income ZIP codes. Access to mental health care is challenging due to cost, insurance benefit limits, and an undersupply of psychiatrists.

The Ohio SHIP and the local health department assessment for Cuyahoga County both identified mental health as a priority issue. These assessments cite the need for additional services, early identification of mental health risks, and greater awareness of existing programs. (Sources: Exhibits 25, 26, 27, key stakeholder interviews, other assessments).

The CDC, Cleveland Clinic, and other organizations have identified many chronic diseases as contributors to stroke, a primary cause for the need of ventilators and long-term care. These conditions include high cholesterol, high blood pressure, diabetes, and obesity (Source: other assessments).

The community benchmarks poorly for the incidence of diabetes, high blood pressure, and high cholesterol, and for hospital admissions for diabetes, hypertension, and heart failure. Higher diabetes and heart disease rates are observed in lower-income communities. Addressing heart (or cardiovascular) disease was identified as a priority by the Ohio SHIP and the Cuyahoga County Community Health Assessment. (Sources: Exhibits 23, 30, 31, other assessments, key stakeholder interviews).

Key stakeholders also identified obesity as a persistent and worsening problem, driven by physical inactivity and poor nutrition. Poor nutrition results from the higher cost of fresh and healthy food, the presence of food deserts, and a lack of time and knowledge about how to prepare healthy meals. Physical inactivity is worsened by a lack of safe places to exercise, time, and education regarding the importance of remaining active.

In Cuyahoga County, the percent of adults obese (Body Mass Index greater than 30) has been above the national average. The Ohio SHIP and local health department assessments consistently identify obesity and diabetes (and reducing physical inactivity and enhancing nutrition) as priorities. (Sources: Exhibit 25, other assessments).

Key stakeholders emphasized the importance of changing unhealthy behaviors. Exercise, nutrition, and tobacco cessation programs are needed. Health education and literacy programs also are needed.

Smoking rates are comparatively high. The Ohio SHIP emphasizes the need for Ohioans to consume healthy food, reduce physical inactivity, reduce adult smoking, and reduce youth all-tobacco use. According to the Cuyahoga County Community Health Assessment, health behaviors that need attention include: flu vaccination rates, tobacco use, and physical inactivity. (Sources: Exhibit 26, other assessments, key stakeholder interviews).

## EXECUTIVE SUMMARY

Fairhill's 65+ population is projected to grow much faster than other age groups. Providing an effective continuum of care for seniors will be challenging. Elderly residents are at greater risk for falls, food insecurity, transportation issues, and unsafe or inadequate housing. Social isolation contributes to poor physical and mental health conditions. Falls contribute to Traumatic Brain Injuries and other injuries that can result in ventilator usage and long-term care (Sources: Exhibit 8, key stakeholder interviews, other assessments).

### Socioeconomic Concerns

Key stakeholders also identified poverty and other social determinants of health as significant concerns. Poverty has significant implications for health, including the ability for households to access health services, afford basic needs, and benefit from prevention initiatives. Problems with housing, educational achievement, and access to workforce training opportunities also contribute to poor health.

Adverse Childhood Experiences (ACEs) increasingly are recognized as problematic in Ohio and the nation. ACEs refer to all types of abuse, neglect, and other traumas experienced by children. According to the CDC, ACEs have been linked to risky healthy behaviors, chronic health conditions, low life potential, and premature death.<sup>2</sup> America's Health Rankings indicates that Ohio ranks 43<sup>rd</sup> nationally for ACEs (a composite indicator that includes: socioeconomic hardship, divorce/parental separation, lived with someone who had an alcohol or drug problem, victim or witness of neighborhood violence, lived with someone who was mentally ill or suicidal, domestic violence witness, parent served time in jail, treated or judged unfairly due to race/ethnicity, and death of a parent).<sup>3</sup>

Fifty (50) percent of rented households have been designated as "rent burdened," a level above the Ohio average (47 percent). In six lower-income ZIP codes, over 60 percent of these households devote more than 30 percent of household income to rent. Cuyahoga County also benchmarks poorly for "percent of households experiencing severe housing problems" (Source: Exhibits 19, 25).

Cuyahoga County has had a higher poverty rate than Ohio and the U.S. Poverty rates for Black and Hispanic (or Latino) populations have been well above rates for Whites. Substantial variation in poverty rates is present across the community. (Sources: Exhibits 13, 14, 23).

Social determinants of health are particularly problematic in Cuyahoga County, including poverty, unemployment, affordable housing, violent crime, and high-school graduation rates. (Sources: Exhibits 13, 14, 15, 16, 18, 19, 25, key stakeholder interviews, other assessments).

The Northeast Ohio Coalition for the Homeless has estimated that "there were about 23,000 people experiencing homelessness in 2018 in Cuyahoga County."<sup>4</sup> In recent years, several Cleveland Clinic hospitals have experienced increases in emergency room encounters by homeless patients.

---

<sup>2</sup> <https://www.cdc.gov/violenceprevention/childabuseandneglect/acestudy/aboutace.html>

<sup>3</sup> <https://www.america'shealthrankings.org/explore/health-of-women-and-children/measure/ACEs/state/OH>

<sup>4</sup> <https://www.neoch.org/2019-overview-of-the-numbers>



## EXECUTIVE SUMMARY

The Ohio SHIP establishes social determinants of health as a “cross-cutting factor” and emphasizes the need to increase third grade reading proficiency, reduce school absenteeism, address burdens associated with high cost housing, and reduce secondhand smoke exposure for children. The Cuyahoga County CHIP emphasizes how poverty and income inequality contribute to poor health. (Sources: other assessments).

## DATA AND ANALYSIS

---

### Definition of Community Assessed

This section identifies the community that was assessed by Fairhill. The community was defined by considering the geographic origins of the hospital's discharges in calendar year 2017. The definition also considered the hospital's principal functions as a long-term acute care hospital.

On that basis, Fairhill's community is defined as 51 ZIP codes in Cuyahoga County, Ohio. These ZIP codes accounted for over 61 percent of the hospital's recent inpatient volumes (**Exhibit 1**).

**Exhibit 1: Fairhill Inpatient Discharges by County, 2017**

County	Discharges	Percent Discharges
Cuyahoga County	192	61.7%
All Other ZIP Codes	119	38.3%
All ZIP Codes	311	100.0%

Source: Analysis of Cleveland Clinic Discharge Data, 2018.

The community includes the 51 ZIP codes that compose Cuyahoga County. The total population of this community in 2017 was approximately 1,256,000 persons (**Exhibit 2**).

## DATA AND ANALYSIS

### Exhibit 2: Community Population, 2017

ZIP Code	County	City/Town	Total Population 2017	Percent of Total Population 2017
44107	Cuyahoga	Lakewood	51,600	4.1%
44130	Cuyahoga	Cleveland	49,176	3.9%
44102	Cuyahoga	Cleveland	42,397	3.4%
44118	Cuyahoga	Cleveland	39,364	3.1%
44111	Cuyahoga	Cleveland	38,260	3.0%
44109	Cuyahoga	Cleveland	38,259	3.0%
44124	Cuyahoga	Cleveland	38,246	3.0%
44134	Cuyahoga	Cleveland	37,822	3.0%
44105	Cuyahoga	Cleveland	36,906	2.9%
44120	Cuyahoga	Cleveland	35,517	2.8%
44122	Cuyahoga	Beachwood	34,331	2.7%
44145	Cuyahoga	Westlake	33,048	2.6%
44121	Cuyahoga	Cleveland	32,090	2.6%
44070	Cuyahoga	North Olmsted	32,080	2.6%
44133	Cuyahoga	North Royalton	31,249	2.5%
44146	Cuyahoga	Bedford	29,582	2.4%
44129	Cuyahoga	Cleveland	28,222	2.2%
44128	Cuyahoga	Cleveland	28,023	2.2%
44125	Cuyahoga	Cleveland	27,179	2.2%
44106	Cuyahoga	Cleveland	26,981	2.1%
44135	Cuyahoga	Cleveland	26,332	2.1%
44136	Cuyahoga	Strongsville	25,181	2.0%
44139	Cuyahoga	Solon	24,669	2.0%
44143	Cuyahoga	Cleveland	24,304	1.9%
44138	Cuyahoga	Olmsted Falls	23,541	1.9%
44108	Cuyahoga	Cleveland	23,491	1.9%
44137	Cuyahoga	Maple Heights	22,349	1.8%
44104	Cuyahoga	Cleveland	22,061	1.8%
44112	Cuyahoga	Cleveland	21,671	1.7%
44144	Cuyahoga	Cleveland	20,770	1.7%
44116	Cuyahoga	Rocky River	20,273	1.6%
44113	Cuyahoga	Cleveland	20,094	1.6%
44131	Cuyahoga	Independence	19,919	1.6%
44147	Cuyahoga	Broadview Heights	19,883	1.6%
44149	Cuyahoga	Strongsville	19,716	1.6%
44017	Cuyahoga	Berea	19,009	1.5%
44110	Cuyahoga	Cleveland	18,683	1.5%
44142	Cuyahoga	Brook Park	18,312	1.5%
44123	Cuyahoga	Euclid	16,968	1.4%
44103	Cuyahoga	Cleveland	16,808	1.3%
44022	Cuyahoga	Chagrin Falls	16,604	1.3%
44126	Cuyahoga	Cleveland	15,988	1.3%
44140	Cuyahoga	Bay Village	15,120	1.2%
44132	Cuyahoga	Euclid	14,014	1.1%
44141	Cuyahoga	Brecksville	13,938	1.1%
44119	Cuyahoga	Cleveland	12,063	1.0%
44117	Cuyahoga	Euclid	10,099	0.8%
44115	Cuyahoga	Cleveland	9,092	0.7%
44114	Cuyahoga	Cleveland	6,420	0.5%
44127	Cuyahoga	Cleveland	5,109	0.4%
44040	Cuyahoga	Gates Mills	2,968	0.2%
<b>Community Total</b>			<b>1,255,781</b>	<b>100.0%</b>


Source: Truven Market Expert, 2018.

## DATA AND ANALYSIS

The hospital is located in Cleveland, Ohio (ZIP code 44120).

The map in **Exhibit 3** portrays the ZIP codes that comprise the Fairhill community.

**Exhibit 3: Fairhill Community**



Source: Microsoft MapPoint and Cleveland Clinic, 2018.

### Secondary Data Summary

The following section summarizes principal findings from the secondary data analysis. *See* Appendix B for more detailed information.

#### Demographics

Population characteristics and trends directly influence community health needs. The total population in the Fairhill community is expected to decrease 0.8 percent from 2017 to 2022. However, the population 65 years of age and older is anticipated to grow by 12.3 percent during that time. This development should contribute to growing need for health services, since older individuals typically need and use more services than younger persons.

## DATA AND ANALYSIS

Fairhill serves a geographic area that includes 51 ZIP codes that encompass Cuyahoga County. Substantial variation in demographic characteristics (e.g., race/ethnicity and income levels) exists across this area.

In 2017, over 90 percent of the population in four ZIP codes was Black. These ZIP codes also are associated with comparatively high poverty rates and comparatively poor health status. In 16 ZIP codes, the percent of the population Black was under three percent.

### Economic Indicators

On average, people living in low-income households are less healthy than those living in more prosperous areas. According to the U.S. Census, in the 2012-2016 period, approximately 15.1 percent of people in the U.S. were living in poverty. At 18.5 percent, Cuyahoga County's poverty rate was above average.

Across both Cuyahoga County and Ohio, poverty rates for Black and for Hispanic (or Latino) residents have been higher than rates for Whites. For example, in Cuyahoga County the rate for Black residents was 33.3 percent. For Whites, it was 11.1 percent.

A number of low-income census tracts can be found in Fairhill's community, including in areas proximate to the hospital. Most of these same areas are where over 50 percent of rented households are "rent burdened."

After several years of improvement, between 2015 and 2017, the unemployment rate in Cuyahoga County increased. As of 2017, the rate in Cuyahoga County was above Ohio and national averages.

Notably, crime rates in Cuyahoga County have been above Ohio averages. The rate of violent crime was particularly high.

Ohio was among the U.S. states that expanded Medicaid eligibility pursuant to the Patient Protection and Affordable Care Act (ACA, 2010). On average, approximately five percent of those living in the community served by Fairhill were uninsured in 2017.

### Community Need Index™

Dignity Health, a California-based hospital system, developed and published a *Community Need Index™* (CNI) that measures barriers to health care access. The index is based on five social and economic indicators:

- The percentage of elders, children, and single parents living in poverty
- The percentage of adults over the age of 25 with limited English proficiency, and the percentage of the population that is non-White
- The percentage of the population without a high school diploma
- The percentage of uninsured and unemployed residents
- The percentage of the population renting houses

## DATA AND ANALYSIS

A CNI score is calculated for each ZIP code. Scores range from “Lowest Need” (1.0-1.7) to “Highest Need” (4.2-5.0).

Seventeen (17) of the 51 ZIP codes in the Fairhill community scored in the “highest need” category. Six ZIP codes received a score of 5.0, the highest possible. Eight other ZIP codes scored in the “lowest need” category.

### Other Local Health Status and Access Indicators

In the 2018 *County Health Rankings* and for overall health outcomes, Cuyahoga County ranked 60<sup>th</sup> (out of 88 counties).

These overall rankings are derived from 42 measures that themselves are grouped into several categories such as “health behaviors,” and “social & economic factors.”

- In 2018, Cuyahoga County ranked in the bottom 50<sup>th</sup> percentile among Ohio counties for 28 of the 42 indicators assessed. Of those, 15 were in the bottom quartile, including quality of life, social and economic factors, physical environment, and various socioeconomic indicators.

The 2018 *County Health Rankings* shows that each county has unique community health issues. While several indicators compared unfavorably to the Ohio average, the rate of violent crime in Cuyahoga County compared particularly unfavorably.

*Community Health Status Indicators* (“CHSI”) compares indicators for each county with those for peer counties across the United States. Each county is compared to 30 to 35 of its peers. Peers are selected based on a number of socioeconomic characteristics, such as population size, population density, percent elderly, and poverty rates.

Cuyahoga County benchmarks most poorly for:

- Percent low birth weight births
- Percent of adults who smoke
- Percent of driving deaths alcohol-impaired
- Air pollution (average daily PM2.5)
- Percent of adults who drive alone to work

Mortality statistics published by the Ohio Department of Health show how deaths due to “accidental poisoning by and exposure to drugs and other biological substances” have been increasing across the state. At 44.6 per 100,000, the 2016 mortality rate in Cuyahoga County was well over the Ohio average of 36.8. Additionally, Cuyahoga County benchmarks unfavorably for a variety of conditions related to healthy lifestyles, including diabetes, cardiovascular disease, and hypertensive heart disease.

Cuyahoga County had a higher than average age-adjusted incidence rate for cancer and a higher than average age-adjusted cancer mortality rate.

## DATA AND ANALYSIS

The Centers for Disease Control’s Behavioral Risk Factor Surveillance System (BRFSS) provides self-reported data on many health behaviors and conditions. According to BRFSS, arthritis, asthma, diabetes, high blood pressure, high cholesterol, and COPD were more prevalent in ZIP codes served by Fairhill than in other parts of Ohio.

### **Ambulatory Care Sensitive Conditions**

Ambulatory Care Sensitive Conditions (“ACSCs”) include thirteen health conditions (also referred to as “PQIs”) “for which good outpatient care can potentially prevent the need for hospitalization or for which early intervention can prevent complications or more severe disease.”<sup>5</sup> Among these conditions are: diabetes, perforated appendixes, chronic obstructive pulmonary disease (“COPD”), hypertension, congestive heart failure, dehydration, bacterial pneumonia, urinary tract infection, and asthma.

ACSC rates in Fairhill community ZIP codes have exceeded Ohio averages for all conditions except perforated appendix and low birth weight births.

### **Food Deserts**

The U.S. Department of Agriculture’s Economic Research Service identifies census tracts that are considered “food deserts” because they include lower-income persons without supermarkets or large grocery stores nearby. Several community census tracts in Cuyahoga County have been designated as food deserts.

### **Medically Underserved Areas and Populations**

Medically Underserved Areas and Populations (MUA/Ps) are designated by the Health Resources and Services Administration (HRSA) based on an “Index of Medical Underservice.” The index includes the following variables: ratio of primary medical care physicians per 1,000 population, infant mortality rate, percentage of the population with incomes below the poverty level, and percentage of the population age 65 or over. Areas with a score of 62 or less are considered “medically underserved.” Several census tracts in Cuyahoga County have been designated as medically underserved areas.

### **Health Professional Shortage Areas**

A geographic area can receive a federal Health Professional Shortage Area (HPSA) designation if a shortage of primary medical care, dental care, or mental health care professionals is found to be present. Several census tracts in Cuyahoga County have been designated as primary care and dental care HPSAs.

### **Relevant Findings of Other CHNAs**

---

<sup>5</sup>Agency for Healthcare Research and Quality (AHRQ) Prevention Quality Indicators.

## DATA AND ANALYSIS

In recent years, the Ohio Department of Health and the local health department in Cuyahoga County conducted Community Health Assessments and developed Health Improvement Plans. This CHNA also has integrated the findings of that work.

The issues most frequently identified as *significant* in these other assessments are:

- Drug addiction and abuse
- Mental health
- Social determinants of health
- Maternal and child health (including infant mortality)
- Prevalence (and need to manage) chronic diseases
- Obesity and diabetes
- Access to primary care services
- Health disparities

The Fairhill CHNA also has identified the above issues as *significant*, in part because this CHNA considered findings from these other assessments as an important factor in the prioritization process. The Fairhill CHNA places more emphasis on health needs of a growing seniors population and includes more information on preventable hospital admissions.

### Significant Indicators

**Exhibit 4** presents many of the indicators discussed in the above secondary data summary. An indicator is considered *significant* if was found to vary materially from a benchmark statistic (e.g., an average value for the State of Ohio or for the United States). For example, 44 percent of Cuyahoga County's driving deaths have involved alcohol; the average for Ohio was 34 percent. The last column of the **Exhibit 4** identifies where more information regarding the data sources can be found.

The benchmarks include Ohio averages, national averages, and in some cases averages for "peer counties" from across the United States. In the *Community Health Status Indicators* analysis, community counties' peers were selected because they are similar in terms of population density, household incomes, and related characteristics. Benchmarks were selected based on judgements regarding how best to assess each data source.



## DATA AND ANALYSIS

### Exhibit 4: Significant Indicators

Indicator	Area	Value	Benchmark		Exhibit
			Value	Area	
65+ Population change, 2017-2022	Community ZIP codes	12.3%	-0.8%	Total Community Population	8
Poverty rate, 2012-2016	Cuyahoga County	18.5%	15.4%	Ohio	13
Poverty rate, 2012-2016	"Highest Need" ZIP codes	36.8%	3.7%	"Lowest Need" ZIP codes	23
% of Population Black, 2017	"Highest Need" ZIP codes	58.6%	3.7%	"Lowest Need" ZIP codes	23
Poverty rate, Black, 2012-2016	Cuyahoga County	33.3%	18.5%	Cuyahoga County, Total	14
Unemployment rate	Cuyahoga County	5.9%	4.4%	United States	16
Percent ninth-grade cohort graduates	Cuyahoga County	74.8%	83.0%	United States	25
Percent children in poverty	Cuyahoga County	26.4%	20.0%	United States	25
Percent of households with severe housing problems	Cuyahoga County	18.5%	15.0%	Ohio	25
Percent of households rent burdened	Community ZIP codes	50.4%	46.7%	Ohio	19
Violent Crimes per 100,000	Cuyahoga County	695	306	Ohio	18
Years of potential life lost per 100,000	Cuyahoga County	8,037	7,734	Ohio	25
Percent live births with low birthweight	Cuyahoga County	10.6%	8.0%	United States	25
Percent driving deaths w/alcohol involvement	Cuyahoga County	44.4%	26.6%	Peer Counties	26
Mortality rate for accidental poisoning by drugs and other substances per 100,000	Cuyahoga County	44.6	36.8	Ohio	27
Percent of adults that smoke	Cuyahoga County	20.6%	16.2%	Peer Counties	26
Cancer incidence rate per 100,000	Cuyahoga County	483	462	Ohio	29
Percent of adults obese	Cuyahoga County	29.9%	28.0%	United States	25
Preventable admissions (for ambulatory care sensitive conditions) per 1,000 Medicare enrollees	Cuyahoga County	53	49	Peer Counties	26
PQI: Young adult asthma rate per 100,000	Community ZIP codes	67.4	35.7	Ohio	31
PQI: Hypertension per 100,000	Community ZIP codes	111.9	71.6	Ohio	31
PQI: Uncontrolled diabetes per 100,000	Community ZIP codes	77.6	50.2	Ohio	31
PQI: COPD per 100,000	Community ZIP codes	963	696	Ohio	31
Average Daily PM 2.5 (Particulate Matter, a measure of air pollution)	Cuyahoga County	12.9	10.6	Peer Counties	26

Source: Verité Analysis.

## DATA AND ANALYSIS

### Primary Data Summary

Primary data were gathered by conducting interviews with key stakeholders (*See Appendix C for additional information on those providing input*). Twenty-eight (28) interviews were conducted with individuals regarding significant community health needs in the community served by Fairhill and why such needs are present.

Interviewees most frequently identified the following community health issues as significant concerns.

- **Poverty and other social determinants of health** were identified as significant concerns. Interviewees stated that poverty has significant implications for health, including the ability for households to access health services, afford basic needs, and benefit from prevention initiatives.
  - **Housing** is an issue, with many community residents unable to find housing that is both affordable and safe. Low income and elderly populations were identified as especially vulnerable. Poor housing contributes to lead exposure and falling risks, among other health problems.
  - Problems with **educational achievement** and access to **workforce training** opportunities reduce employment prospects and increase poverty rates.
  - Poverty contributes to **food insecurity** and the inability to afford healthy food.
- **Obesity** (and its contributions to chronic diseases including diabetes, hypertension, and cardiovascular diseases) was identified as growing problem, driven by ongoing difficulties with physical inactivity and poor nutrition.
  - Many are not eating healthy foods due to the higher costs of fresh and healthy options, food deserts that create access problems, a lack of knowledge about healthy cooking, and a lack of time (particularly for people working several jobs) to prepare meals.
  - Contributors to physical inactivity include a lack of safe places to exercise, a lack of time, and a lack of education regarding the importance of remaining active.
- **Mental health** was identified by many as a significant concern. Depression, suicide, hopelessness, and isolation (particularly among elderly residents and those exposed to traumas early in life) are perceived to be increasing in severity. Access to mental health care is challenging due to cost (and limited benefits) and an undersupply of psychiatrists and other providers.
- **Transportation** was identified as a barrier to maintaining good health. Few public transportation options are available, and many neighborhoods are not serviced at all. Transportation affects access to health care services, healthy foods, and employment

## DATA AND ANALYSIS

opportunities. Low-income and elderly residents were identified as groups that had the largest unmet transportation needs.

- **Substance abuse and addiction**, particularly the abuse of opioids, was a primary concern of many interviewees. Perceived over-prescribing of prescription drugs, poverty and economic insecurity, and mental health problems were cited as contributing factors.
  - While problems with opioids were mentioned most frequently, several interviewees stated that misuse of other drugs (primarily methamphetamines) is on the rise. They emphasized that underlying addiction is the real problem.
- **Health disparities** are present – particularly for infant mortality rates and the prevalence of chronic conditions. Low-income, Black, and Hispanic (or Latino) residents were specifically identified as groups with disproportionately poor health outcomes.
  - Health care services need to be more culturally competent. Language and cultural barriers make it challenging for providers to improve the health of many residents.
- Many identified a need for more **localized, community-based health clinics and programs**. While the region has many hospitals and physician groups, these entities “do not have a great connection with the community.” Health systems need to improve their local presence, building up connections with local stakeholders and communities.
- Interviewees stated that community needs more **health education** and better understanding of the health care system. Community residents are unsure about where and how they can access certain services. Questions about insurance coverage and more generally how to achieve a healthy life are prevalent. Prevention initiatives are needed by many. Additionally, the need for **better referral mechanisms and a continuum of care** was discussed by several interviewees.

## OTHER FACILITIES AND RESOURCES IN THE COMMUNITY

### OTHER FACILITIES AND RESOURCES IN THE COMMUNITY

This section identifies other facilities and resources available in the community served by Fairhill that are available to address community health needs.

#### Federally Qualified Health Centers

Federally Qualified Health Centers (FQHCs) are established to promote access to ambulatory care in areas designated as “medically underserved.” These clinics provide primary care, mental health, and dental services for lower-income members of the community. FQHCs receive enhanced reimbursement for Medicaid and Medicare services and most also receive federal grant funds under Section 330 of the Public Health Service Act. There currently are 29 FQHC sites operating in the Fairhill community (**Exhibit 5**).

**Exhibit 5: Federally Qualified Health Centers, 2018**

County	ZIP Code	Site Name	City	Address
Cuyahoga	44114	Asian Services In Action	Cleveland	3631 Perkins Ave Ste 2aw
Cuyahoga	44114	Asian Services In Action - International Community Health Center	Cleveland	3820 Superior Ave E Ste
Cuyahoga	44104	Carl B. Stokes Clinic	Cleveland	6001 Woodland Ave
Cuyahoga	44115	Central Neighborhood Clinic	Cleveland	2916 Central Ave
Cuyahoga	44110	Collinwood Health Center	Cleveland	15322 Saint Clair Ave
Cuyahoga	44102	Detroit Shoreway Community Health Center	Cleveland	6412 Franklin Blvd
Cuyahoga	44112	East Cleveland Health Center	Cleveland	15201 Euclid Ave
Cuyahoga	44103	Health And Wellness East	Cleveland	4400 Euclid Ave
Cuyahoga	44103	Hough Health Center	Cleveland	8300 Hough Ave
Cuyahoga	44106	Magnolia Clubhouse	Cleveland	11101 Magnolia Dr
Cuyahoga	44105	Miles Broadway Health Center	Cleveland	9127 Miles Ave
Cuyahoga	44114	Mobile Clinic	Cleveland	1530 Saint Clair Ave NE
Cuyahoga	44102	Neighborhood Family Practice Administrative Annex	Cleveland	3600 Ridge Rd
Cuyahoga	44113	Neighborhood Family Practice Administrative Office	Cleveland	4115 Bridge Ave
Cuyahoga	44102	Neighborhood Family Practice Mobile Van 1	Cleveland	3569 Ridge Rd
Cuyahoga	44103	Neon Administration Center	Cleveland	4800 Payne Ave
Cuyahoga	44112	Neon Dental Mobile Unit	East Cleveland	15320 Euclid Ave
Cuyahoga	44103	Norwood Health Center	Cleveland	1468 E 55th St
Cuyahoga	44135	Puritas Community Health Center (Relocation)	Cleveland	14625 Puritas Ave
Cuyahoga	44102	Ridge Community Health Center	Cleveland	3569 Ridge Rd
Cuyahoga	44113	Riverview Towers Clinic	Cleveland	1795 W 25th St
Cuyahoga	44137	Signature Health Maple Heights Health Center	Maple Heights	21100 Southgate Park Blvd
Cuyahoga	44122	Signature Health, Inc. Connections Location	Beachwood	24200 Chagrin Blvd
Cuyahoga	44105	Southeast Health Center	Cleveland	13301 Miles Ave
Cuyahoga	44114	St. Clair Clinic	Cleveland	1530 Saint Clair Ave NE
Cuyahoga	44106	Superior Health Center	Cleveland	12100 Superior Ave
Cuyahoga	44106	The Free Medical Clinic Of Greater Cleveland	Cleveland	12201 Euclid Ave
Cuyahoga	44113	Tremont Community Health Center	Cleveland	2358 Professor Ave
Cuyahoga	44111	W. 117 Community Health Center	Cleveland	11709 Lorain Ave

Source: HRSA, 2018.

## OTHER FACILITIES AND RESOURCES IN THE COMMUNITY

Data published by HRSA indicate that in 2017, FQHCs served approximately 22 percent of uninsured, Fairhill community residents and 17 percent of the community's Medicaid recipients.<sup>6</sup> In Ohio, FQHCs served about 15 percent of both population groups. Nationally, FQHCs served 22 percent of uninsured individuals and 18 percent of Medicaid recipients. These percentages ranged from 6 percent (Nevada) to 40 percent (Washington State).

### Hospitals

**Exhibit 6** presents information on hospital facilities located in the Fairhill community.

**Exhibit 6: Hospitals, 2018**

ZIP Code	County	City/Town	Hospital Name	Address
44130	Cuyahoga	Cleveland	Southwest General Health Center	18697 Bagley Road
44111	Cuyahoga	Cleveland	Fairview Hospital	18101 Lorain Avenue
44109	Cuyahoga	Cleveland	MetroHealth System	2500 Metrohealth Drive
44124	Cuyahoga	Cleveland	Hillcrest Hospital	6780 Mayfield Road
44120	Cuyahoga	Cleveland	Select Specialty Hospital- Cleveland Fairhill	11900 Fairhill Road
44122	Cuyahoga	Beachwood	Grace Hospital	20000 Harvard Road
44122	Cuyahoga	Beachwood	Highland Springs	4199 Mill Pond Drive
44122	Cuyahoga	Beachwood	Lake Health Beachwood Medical Center	25501 Chagrin Blvd
44122	Cuyahoga	Beachwood	South Pointe Hospital	20000 Harvard Road
44122	Cuyahoga	Beachwood	University Hospitals Ahuja Medical Center	3999 Richmond Road
44122	Cuyahoga	Beachwood	University Hospitals Rehabilitation Hospital	23333 Harvard Road
44145	Cuyahoga	Westlake	UH St John Medical Center	29000 Center Ridge Road
44129	Cuyahoga	Cleveland	Parma Community General Hospital	7007 Powers Boulevard
44128	Cuyahoga	Cleveland	Regency Hospital of Cleveland East	4200 Interchange Corporate Center Road
44125	Cuyahoga	Cleveland	Marymount Hospital	12300 McCracken Road
44106	Cuyahoga	Cleveland	Rainbow Babies And Childrens Hospital	11100 Euclid Avenue
44106	Cuyahoga	Cleveland	UH Cleveland Medical Center	11100 Euclid Avenue
44143	Cuyahoga	Cleveland	UHHS Richmond Heights Hospital	27100 Chardon Road
44104	Cuyahoga	Cleveland	Cleveland Clinic Children's Hospital for Rehab	2801 Martin Luther King, Jr Drive
44113	Cuyahoga	Cleveland	Lutheran Hospital	1730 West 25th Street
44119	Cuyahoga	Cleveland	Euclid Hospital	18901 Lake Shore Boulevard
44115	Cuyahoga	Cleveland	St Vincent Charity Medical Center	2351 East 22nd Street

Source: Ohio Department of Health, 2019.

### Other Community Resources

A wide range of agencies, coalitions, and organizations that provide health and social services is available in the region served by Fairhill. United Way 2-1-1 Ohio maintains a large, online database to help refer individuals in need to health and human services in Ohio. This is a service of the Ohio Department of Social Services and is provided in partnership with the Council of Community Services, The Planning Council, and United Way chapters in Cleveland. United Way 2-1-1 Ohio contains information on organizations and resources in the following categories:

- Donations and Volunteering
- Education, Recreation, and the Arts
- Employment and Income Support

<sup>6</sup> HRSA refers to these statistics as FQHC "penetration rates."

## OTHER FACILITIES AND RESOURCES IN THE COMMUNITY

- Family Support and Parenting
- Food, Clothing, and Household Items
- Health Care
- Housing and Utilities
- Legal Services and Financial Management
- Mental Health and Counseling
- Municipal and Community Services
- Substance Abuse and Other Addictions

Additional information about these resources is available at: <http://www.211oh.org/>.

## IMPACT EVALUATION

---

Regulations that apply to CHNAs conducted by tax-exempt hospitals require CHNA reports to include “an evaluation of the impact of any actions that were taken, since the hospital facility finished conducting its immediately preceding CHNA, to address the significant health needs identified in the hospital facility’s prior CHNA(s).”

The actions being implemented by Fairhill are described in its Implementation Strategy Report. See:

[https://clevelandfairhill.selectspecialtyhospitals.com/uploadedFiles/Content/SHARED/Patients\\_and\\_Families/Admissions/2017\\_Community\\_Health%20Needs\\_Assessment\\_Fairhill.pdf](https://clevelandfairhill.selectspecialtyhospitals.com/uploadedFiles/Content/SHARED/Patients_and_Families/Admissions/2017_Community_Health%20Needs_Assessment_Fairhill.pdf)

The hospital finished conducting its immediately preceding CHNA in 2017. The hospital’s authorized body adopted its most recent Implementation Strategy in May 2018.

That Implementation Strategy indicated that the hospital plans to address the following health needs identified in its 2017 CHNA:

- A. Access to Affordable Healthcare
- B. Chronic Diseases and Other Health Conditions
  - 1. Heart Disease and Hypertension
  - 2. Mental Health Status
  - 3. Obesity and Diabetes
  - 4. Respiratory Disease, Asthma, and COPD
  - 5. Substance Abuse and Chemical Dependency
- C. Healthcare for the Elderly
- D. Wellness

In 2016, the Ohio Department of Health also promulgated new CHNA requirements that require the state, county health departments, and hospitals to prepare CHNA reports in alignment (on the same three year cycle). To comply with the new state requirements and align with the schedule being followed by other Cleveland Clinic hospitals, Fairhill conducted this subsequent CHNA in 2019.

The initiatives in Fairhill’s May 2018 Implementation Strategy Report have been in place for a year, and it is too early to describe and evaluate their impacts. Most initiatives are likely to be included again in the hospital’s next Implementation Strategy Report. Fairhill looks forward to describing the impact of these and other actions that address community health needs in its 2022 CHNA report.

## APPENDIX A – OBJECTIVES AND METHODOLOGY

---

### Regulatory Requirements

Federal law requires that tax-exempt hospital facilities conduct a CHNA every three years and adopt an Implementation Strategy that addresses significant community health needs.<sup>7</sup> In conducting a CHNA, each tax-exempt hospital facility must:

- Define the community it serves;
- Assess the health needs of that community;
- Solicit and take into account input from persons who represent the broad interests of that community, including those with special knowledge of or expertise in public health;
- Document the CHNA in a written report that is adopted for the hospital facility by an authorized body of the facility; and,
- Make the CHNA report widely available to the public.

The CHNA report must include certain information including, but not limited to:

- A description of the community and how it was defined,
- A description of the methodology used to determine the health needs of the community, and
- A prioritized list of the community’s health needs.

Ohio law<sup>8</sup> requires local health departments (LHDs) and tax-exempt hospitals to submit their Community Health Improvement Plans and Implementation Strategy reports to the Ohio Department of Health (the department). Beginning January 1, 2020, Ohio law also requires LHDs and tax-exempt hospitals to complete assessments and plans “in alignment on a three-year interval established by the department.” Specific methods and approaches for achieving “alignment” are evolving.

### Methodology

CHNAs seek to identify significant health needs for particular geographic areas and populations by focusing on the following questions:

- **Who** in the community is most vulnerable in terms of health status or access to care?
- **What** are the unique health status and/or access needs for these populations?
- **Where** do these people live in the community?
- **Why** are these problems present?

---

<sup>7</sup> Internal Revenue Code, Section 501(r).

<sup>8</sup> ORC 3701.981



## APPENDIX A – OBJECTIVES AND METHODOLOGY

The focus on **who** is most vulnerable and **where** they live is important to identifying groups experiencing health inequities and disparities. Understanding **why** these issues are present is challenging, but is important to designing effective community health improvement initiatives. The question of **how** each hospital can address significant community health needs is the subject of the separate Implementation Strategy.

Federal regulations allow hospital facilities to define the community they serve based on “all of the relevant facts and circumstances,” including the “geographic location” served by the hospital facility, “target populations served” (e.g., children, women, or the aged), and/or the hospital facility’s principal functions (e.g., focus on a particular specialty area or targeted disease).<sup>9</sup> Accordingly, the community definition considered the geographic origins of the hospital’s patients and also the hospital’s mission, target populations, principal functions, and strategies.

This assessment was conducted by Verité Healthcare Consulting, LLC. *See* Appendix A for consultant qualifications.

Data from multiple sources were gathered and assessed, including secondary data<sup>10</sup> published by others and primary data obtained through community input. *See* Appendix B. Input from the community was received through key informant interviews. These informants represented the broad interests of the community and included individuals with special knowledge of or expertise in public health. *See* Appendix C. Considering a wide array of information is important when assessing community health needs to ensure the assessment captures a wide range of facts and perspectives and to increase confidence that significant community health needs have been identified accurately and objectively.

Certain community health needs were determined to be “significant” if they were identified as problematic in at least two of the following three data sources: (1) the most recently available secondary data regarding the community’s health, (2) recent assessments developed by the State of Ohio and local health departments, and (3) input from the key informants who participated in the interview process.

In addition, data was gathered to evaluate the impact of various services and programs identified in the previous CHNA process. *See* Appendix D.

### Collaborating Organizations

For this assessment, Fairhill collaborated with the following Cleveland Clinic and Cleveland Clinic – Select Medical hospitals: Main Campus, Cleveland Clinic Children’s, Cleveland Clinic Children’s Hospital for Rehabilitation, Avon, Akron General, Euclid, Fairview, Hillcrest, Lodi, Lutheran, Marymount, Medina, South Pointe, Union, Cleveland Clinic Florida, Select Specialty Hospital – Cleveland Fairhill, Select Specialty Hospital – Cleveland Gateway, Regency Hospital of Cleveland East, and Regency Hospital of Cleveland West. These facilities collaborated by

---

<sup>9</sup> 501(r) Final Rule, 2014.

<sup>10</sup> “Secondary data” refers to data published by others, for example the U.S. Census and the Ohio Department of Health. “Primary data” refers to data observed or collected from first-hand experience, for example by conducting interviews.

## APPENDIX A – OBJECTIVES AND METHODOLOGY

gathering and assessing community health data together and relying on shared methodologies, report formats, and staff to manage the CHNA process.

### Data Sources

Community health needs were identified by collecting and analyzing data from multiple sources. Statistics for numerous community health status, health care access, and related indicators were analyzed, including data provided by local, state, and federal government agencies, local community service organizations, and Cleveland Clinic. Comparisons to benchmarks were made where possible. Findings from recent assessments of the community's health needs conducted by other organizations (e.g., local health departments) were reviewed as well.

Input from 28 persons representing the broad interests of the community was taken into account through key informant interviews. Interviewees included: individuals with special knowledge of or expertise in public health; local public health departments; agencies with current data or information about the health and social needs of the community; representatives of social service organizations; and leaders, representatives, and members of medically underserved, low-income, and minority populations.

The Cleveland Clinic health system posts CHNA reports online at [www.clevelandclinic.org/CHNAREports](http://www.clevelandclinic.org/CHNAREports) and makes an email address ([chna@ccf.org](mailto:chna@ccf.org)) available for purposes of receiving comments and questions. No written comments have yet been received on CHNA reports.

### Information Gaps

This CHNA relies on multiple data sources and community input gathered between July 2018 and January 2019. A number of data limitations should be recognized when interpreting results. For example, some data (e.g., County Health Rankings, Community Health Status Indicators, and others) exist only at a county-wide level of detail. Those data sources do not allow assessing health needs at a more granular level of detail, such as by ZIP code or census tract.

Secondary data upon which this assessment relies measure community health in prior years and may not reflect current conditions. The impacts of recent public policy developments, changes in the economy, and other community developments are not yet reflected in those data sets.

The findings of this CHNA may differ from those of others that assessed this community. Differences in data sources, geographic areas assessed (e.g., hospital service areas versus counties or cities), interview questions, and prioritization processes can contribute to differences in findings.

### Consultant Qualifications

Verité Healthcare Consulting, LLC (Verité) was founded in May 2006 and is located in Arlington, Virginia. The firm serves clients throughout the United States as a resource that helps hospitals conduct Community Health Needs Assessments and develop Implementation Strategies

## APPENDIX A – OBJECTIVES AND METHODOLOGY

to address significant health needs. Verité has conducted more than 60 needs assessments for hospitals, health systems, and community partnerships nationally since 2010.

The firm also helps hospitals, hospital associations, and policy makers with community benefit reporting, program infrastructure, compliance, and community benefit-related policy and guidelines development. Verité is a recognized national thought leader in community benefit and Community Health Needs Assessments.

## **APPENDIX B – SECONDARY DATA ASSESSMENT**

---

This section presents an assessment of secondary data regarding health needs in the Fairhill community. Fairhill's community is comprised of 51 ZIP codes in Cuyahoga County, Ohio.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Demographics

**Exhibit 7: Percent Change in Community Population by ZIP Code, 2017-2022**

County	City/Town	ZIP Code	Estimated Population 2017	Projected Population 2022	Percent Change 2017 - 2022
Cuyahoga	Cleveland	44114	6,420	6,693	4.3%
Cuyahoga	Cleveland	44115	9,092	9,420	3.6%
Cuyahoga	Olmsted Falls	44138	23,541	24,277	3.1%
Cuyahoga	Cleveland	44113	20,094	20,646	2.7%
Cuyahoga	Broadview Heights	44147	19,883	20,284	2.0%
Cuyahoga	North Royalton	44133	31,249	31,789	1.7%
Cuyahoga	Strongsville	44149	19,716	19,937	1.1%
Cuyahoga	Solon	44139	24,669	24,941	1.1%
Cuyahoga	Westlake	44145	33,048	33,292	0.7%
Cuyahoga	Cleveland	44143	24,304	24,403	0.4%
Cuyahoga	Cleveland	44106	26,981	27,017	0.1%
Cuyahoga	Rocky River	44116	20,273	20,292	0.1%
Cuyahoga	Euclid	44132	14,014	14,027	0.1%
Cuyahoga	Beachwood	44122	34,331	34,351	0.1%
Cuyahoga	Berea	44017	19,009	18,990	-0.1%
Cuyahoga	Strongsville	44136	25,181	25,115	-0.3%
Cuyahoga	Brecksville	44141	13,938	13,895	-0.3%
Cuyahoga	Bedford	44146	29,582	29,488	-0.3%
Cuyahoga	Cleveland	44124	38,246	38,116	-0.3%
Cuyahoga	Chagrin Falls	44022	16,604	16,539	-0.4%
Cuyahoga	Cleveland	44104	22,061	21,971	-0.4%
Cuyahoga	Cleveland	44135	26,332	26,208	-0.5%
Cuyahoga	Lakewood	44107	51,600	51,348	-0.5%
Cuyahoga	Cleveland	44144	20,770	20,603	-0.8%
Cuyahoga	Cleveland	44130	49,176	48,643	-1.1%
Cuyahoga	Independence	44131	19,919	19,690	-1.1%
Cuyahoga	North Olmsted	44070	32,080	31,697	-1.2%
Cuyahoga	Cleveland	44129	28,222	27,857	-1.3%
Cuyahoga	Cleveland	44118	39,364	38,835	-1.3%
Cuyahoga	Euclid	44117	10,099	9,959	-1.4%
Cuyahoga	Maple Heights	44137	22,349	22,039	-1.4%
Cuyahoga	Cleveland	44121	32,090	31,635	-1.4%
Cuyahoga	Cleveland	44126	15,988	15,743	-1.5%
Cuyahoga	Euclid	44123	16,968	16,700	-1.6%
Cuyahoga	Bay Village	44140	15,120	14,876	-1.6%
Cuyahoga	Cleveland	44134	37,822	37,206	-1.6%
Cuyahoga	Cleveland	44103	16,808	16,533	-1.6%
Cuyahoga	Gates Mills	44040	2,968	2,917	-1.7%
Cuyahoga	Cleveland	44128	28,023	27,523	-1.8%
Cuyahoga	Cleveland	44111	38,260	37,542	-1.9%
Cuyahoga	Cleveland	44119	12,063	11,821	-2.0%
Cuyahoga	Cleveland	44125	27,179	26,633	-2.0%
Cuyahoga	Brook Park	44142	18,312	17,939	-2.0%
Cuyahoga	Cleveland	44112	21,671	21,195	-2.2%
Cuyahoga	Cleveland	44102	42,397	41,452	-2.2%
Cuyahoga	Cleveland	44109	38,259	37,399	-2.2%
Cuyahoga	Cleveland	44120	35,517	34,621	-2.5%
Cuyahoga	Cleveland	44110	18,683	18,144	-2.9%
Cuyahoga	Cleveland	44108	23,491	22,738	-3.2%
Cuyahoga	Cleveland	44127	5,109	4,936	-3.4%
Cuyahoga	Cleveland	44105	36,906	35,622	-3.5%
<b>Community Total</b>			<b>1,255,781</b>	<b>1,245,537</b>	<b>-0.8%</b>

Source: Truven Market Expert, 2018.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### **Description**

Exhibit 7 portrays the estimated population by ZIP code in 2017 and projected to 2022.

### **Observations**

- Between 2017 and 2022, 37 of 51 ZIP codes are projected to decrease in population. The total community population is expected to decrease by 0.8 percent.
- The population in ZIP code 44120 (where the hospital is located) is expected to decrease by 2.5 percent, one of the largest decreases in community ZIP codes.

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 8: Percent Change in Population by Age/Sex Cohort, 2017-2022**

Age/Sex Cohort	Estimated Population 2017	Projected Population 2022	Percent Change 2017 - 2022
0 - 17	265,841	257,312	-3.2%
Female 18 - 34	140,408	133,302	-5.1%
Male 18 - 34	137,542	134,041	-2.5%
35 - 64	490,839	472,571	-3.7%
65+	221,151	248,311	12.3%
<b>Community Total</b>	<b>1,255,781</b>	<b>1,245,537</b>	<b>-0.8%</b>

Source: Truven Market Expert, 2018.


### Description

Exhibit 8 shows the community's population for certain age and sex cohorts in 2017, with projections to 2022.

### Observations

- While the total community population is expected to decrease between 2017 and 2022, the number of persons aged 65 years and older is projected to increase by 12.3 percent.
- The growth of older populations is likely to lead to growing need for health services, since on an overall per-capita basis, older individuals typically need and use more services than younger persons.

### Exhibit 9: Percent of Population Aged 65+ by ZIP Code, 2017



Source: Truven Market Expert, 2018, and Microsoft MapPoint.

## Description


Exhibit 9 portrays the percent of the population 65 years of age and older by ZIP code.

## Observations

- ZIP codes 44040 and 44122 have the highest proportions of the population 65 years of age and older, each over 26 percent. ZIP codes east of the hospital in general have the highest proportions of the population 65 years of age and older



### Exhibit 10: Percent of Population - Black, 2017



Source: Truven Market Expert, 2018, and Microsoft MapPoint.


## Description

Exhibit 10 portrays locations where the percentages of the population that are Black were highest in 2017.

## Observations

- In four ZIP codes, over 90 percent of residents were Black (44104, 44128, 44108, and 44112).
- In 2017, the percentage of residents who are Black was under three percent in 16 ZIP codes.

### Exhibit 11: Percent of Population – Hispanic (or Latino), 2017



Source: Truven Market Expert, 2018, and Microsoft MapPoint.


## Description

Exhibit 11 portrays locations where the percentages of the population that are Hispanic (or Latino) were highest in 2017.

## Observations

- The percentage of residents that are Hispanic (or Latino) was highest in ZIP codes 44109 and 44102, each over 28 percent. No other community ZIP code was over 20 percent.

**Exhibit 12: Other Socioeconomic Indicators, 2012-2016**



Source: U.S. Census, ACS 5-Year Estimates, 2017.

### Description

Exhibit 12 portrays the percent of the population (aged 25 years and above) without a high school diploma, with a disability, and linguistically isolated, by county.

### Observations


- The percentage of residents aged 25 years and older without a high school diploma in Cuyahoga County has been higher than the Ohio average.
- Cuyahoga County had a higher percentage of the population with a disability compared to Ohio and United States averages.
- Compared to Ohio (but not to the United States), Cuyahoga County had a higher proportion of the population that is linguistically isolated. Linguistic isolation is defined as residents who speak a language other than English and speak English less than “very well.”

## Economic indicators

The following economic indicators with implications for health were assessed: (1) people in poverty; (2) unemployment rate; (3) insurance status; and (4) crime.

### People in Poverty

**Exhibit 13: Percent of People in Poverty, 2012-2016**



Source: U.S. Census, ACS 5-Year Estimates, 2017.


### Description

Exhibit 13 portrays poverty rates by county.

### Observations

- The poverty rate in Cuyahoga County was higher than Ohio and national averages throughout 2012-2016.

**Exhibit 14: Poverty Rates by Race and Ethnicity, 2012-2016**



Source: U.S. Census, ACS 5-Year Estimates, 2017.


### Description

Exhibit 14 portrays poverty rates by race and ethnicity.

### Observations

- Poverty rates have been higher for Black and Hispanic (or Latino) residents than for Whites.
- The poverty rate for Black residents in Cuyahoga County has been higher than poverty rates for Black individuals across Ohio and the United States. The rate for Hispanic (or Latino) residents in Cuyahoga County has also been higher than rates in Ohio and the United States.

**Exhibit 15: Low Income Census Tracts, 2017**



## Description


Exhibit 15 portrays the location of federally-designated low income census tracts.

## Observations

- Low income census tracts have been present throughout Cuyahoga County, including in areas proximate to the hospital.

## Unemployment

**Exhibit 16: Unemployment Rates, 2013-2017**



Source: Bureau of Labor Statistics, 2018.

### Description

Exhibit 16 shows unemployment rates for 2013 through 2017 by county, with Ohio and national rates for comparison.

### Observations

- Between 2012 and 2015, unemployment rates at the local, state, and national levels declined significantly. Between 2015 and 2017, unemployment rates increased slightly in Cuyahoga County.
- The rate in Cuyahoga County was above Ohio and U.S. averages in 2017.



## APPENDIX B – SECONDARY DATA ASSESSMENT

### Insurance Status

**Exhibit 17: Percent of the Population without Health Insurance, 2017-2022**

County	City/Town	ZIP Code	Total Population 2017	Percent Uninsured 2017	Total Population 2022	Percent Uninsured 2022
Cuyahoga	Cleveland	44115	9,092	9.0%	9,420	8.3%
Cuyahoga	Cleveland	44104	22,061	8.1%	21,971	7.6%
Cuyahoga	Cleveland	44103	16,808	8.0%	16,533	7.1%
Cuyahoga	Cleveland	44114	6,420	7.8%	6,693	6.3%
Cuyahoga	Cleveland	44106	26,981	7.6%	27,017	6.5%
Cuyahoga	Cleveland	44110	18,683	7.5%	18,144	6.7%
Cuyahoga	Cleveland	44127	5,109	7.4%	4,936	6.5%
Cuyahoga	Cleveland	44108	23,491	7.4%	22,738	6.5%
Cuyahoga	Cleveland	44112	21,671	7.3%	21,195	6.4%
Cuyahoga	Euclid	44117	10,099	7.2%	9,959	6.4%
Cuyahoga	Cleveland	44105	36,906	7.0%	35,622	6.2%
Cuyahoga	Cleveland	44113	20,094	6.7%	20,646	5.5%
Cuyahoga	Cleveland	44102	42,397	6.7%	41,452	5.7%
Cuyahoga	Cleveland	44120	35,517	6.4%	34,621	5.6%
Cuyahoga	Cleveland	44109	38,259	6.3%	37,399	5.4%
Cuyahoga	Cleveland	44128	28,023	5.7%	27,523	5.0%
Cuyahoga	Maple Heights	44137	22,349	5.4%	22,039	4.7%
Cuyahoga	Euclid	44132	14,014	5.4%	14,027	4.6%
Cuyahoga	Cleveland	44135	26,332	5.2%	26,208	4.5%
Cuyahoga	Cleveland	44111	38,260	5.1%	37,542	4.3%
Cuyahoga	Euclid	44123	16,968	4.8%	16,700	4.1%
Cuyahoga	Cleveland	44125	27,179	4.7%	26,633	4.1%
Cuyahoga	Cleveland	44119	12,063	4.5%	11,821	3.9%
Cuyahoga	Lakewood	44107	51,600	4.5%	51,348	3.6%
Cuyahoga	Cleveland	44144	20,770	4.4%	20,603	3.6%
Cuyahoga	Bedford	44146	29,582	4.4%	29,488	3.7%
Cuyahoga	Cleveland	44118	39,364	4.2%	38,835	3.6%
Cuyahoga	Cleveland	44121	32,090	4.1%	31,635	3.5%
Cuyahoga	Cleveland	44134	37,822	3.9%	37,206	3.3%
Cuyahoga	Cleveland	44129	28,222	3.9%	27,857	3.2%
Cuyahoga	Cleveland	44130	49,176	3.6%	48,643	3.0%
Cuyahoga	Cleveland	44126	15,988	3.4%	15,743	2.9%
Cuyahoga	Berea	44017	19,009	3.4%	18,990	2.8%
Cuyahoga	Cleveland	44143	24,304	3.4%	24,403	2.9%
Cuyahoga	Beachwood	44122	34,331	3.3%	34,351	2.9%
Cuyahoga	Brook Park	44142	18,312	3.3%	17,939	2.8%
Cuyahoga	Cleveland	44124	38,246	3.2%	38,116	2.7%
Cuyahoga	Strongsville	44136	25,181	3.0%	25,115	2.6%
Cuyahoga	Rocky River	44116	20,273	2.8%	20,292	2.5%
Cuyahoga	Olmsted Falls	44138	23,541	2.7%	24,277	2.4%
Cuyahoga	North Royalton	44133	31,249	2.5%	31,789	2.1%
Cuyahoga	Westlake	44145	33,048	2.5%	33,292	2.1%
Cuyahoga	North Olmsted	44070	32,080	2.5%	31,697	2.1%
Cuyahoga	Broadview Heights	44147	19,883	2.4%	20,284	2.1%
Cuyahoga	Independence	44131	19,919	2.3%	19,690	2.0%
Cuyahoga	Chagrin Falls	44022	16,604	2.2%	16,539	2.1%
Cuyahoga	Bay Village	44140	15,120	2.2%	14,876	2.0%
Cuyahoga	Brecksville	44141	13,938	1.9%	13,895	1.7%
Cuyahoga	Gates Mills	44040	2,968	1.9%	2,917	1.7%
Cuyahoga	Solon	44139	24,669	1.7%	24,941	1.5%
Cuyahoga	Strongsville	44149	19,716	1.7%	19,937	1.5%
<b>Community Total</b>			<b>1,255,781</b>	<b>4.6%</b>	<b>1,245,537</b>	<b>3.9%</b>

Source: Truven Market Expert, 2018.



## APPENDIX B – SECONDARY DATA ASSESSMENT

### Description

Exhibit 17 presents the estimated percent of population in community ZIP codes without health insurance (uninsured) – in 2017 and with projections to 2022.

### Observations

- In 2017, the highest “uninsurance rates” were in Cleveland ZIP codes, with ZIP codes 44115, 44104, and 44103 each 8 percent or higher.
- Subsequent to the ACA’s passage, a June 2012 Supreme Court ruling provided states with discretion regarding whether or not to expand Medicaid eligibility. Ohio was one of the states that expanded Medicaid. Across the United States, uninsurance rates have fallen most in states that decided to expand Medicaid.<sup>11</sup>

---

<sup>11</sup> See: <http://hrms.urban.org/briefs/Increase-in-Medicaid-under-the-ACA-reduces-uninsurance.html>

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Crime Rates

**Exhibit 18: Crime Rates by Type and Jurisdiction, Per 100,000, 2016**

Crime	Cuyahoga County	Ohio
Violent Crime	694.9	<b>305.9</b>
Property Crime	2,977.7	<b>2,537.4</b>
Murder	15.1	<b>5.9</b>
Rape	57.6	<b>47.4</b>
Robbery	327.7	<b>111.1</b>
Aggravated Assault	294.5	<b>141.5</b>
Burglary	753.6	<b>573.5</b>
Larceny	1,742.1	<b>1,789.7</b>
Motor Vehicle Theft	482.0	<b>174.2</b>
Arson	33.6	<b>23.4</b>

Source: FBI, 2017.

### Description

Exhibit 18 provides crime statistics. Light grey shading indicates rates that were higher (worse) than the Ohio average; dark grey shading indicates rates that were more than 50 percent higher than the Ohio average.

### Observations

- 2016 crime rates in Cuyahoga County were more than 50 percent higher than the Ohio averages for violent crime, murder, robbery, aggravated assault, and motor vehicle theft.


## APPENDIX B – SECONDARY DATA ASSESSMENT

### Housing Affordability

**Exhibit 19: Percent of Rented Households Rent Burdened, 2013-2017**

County	City/Town	ZIP Code	Occupied Units Paying Rent	Households Paying >30%	Rent Burden > 30% of Income
Cuyahoga	Cleveland	44105	7,182	4,689	65.3%
Cuyahoga	Euclid	44117	2,597	1,636	63.0%
Cuyahoga	Cleveland	44103	4,185	2,593	62.0%
Cuyahoga	Cleveland	44110	5,142	3,141	61.1%
Cuyahoga	Euclid	44132	3,507	2,137	60.9%
Cuyahoga	Cleveland	44127	1,180	708	60.0%
Cuyahoga	Cleveland	44128	5,469	3,246	59.4%
Cuyahoga	Cleveland	44125	3,397	2,015	59.3%
Cuyahoga	Cleveland	44112	5,346	3,171	59.3%
Cuyahoga	Cleveland	44108	4,223	2,449	58.0%
Cuyahoga	Cleveland	44120	8,325	4,798	57.6%
Cuyahoga	Cleveland	44111	7,084	4,065	57.4%
Cuyahoga	Cleveland	44135	4,180	2,373	56.8%
Cuyahoga	Cleveland	44119	2,227	1,263	56.7%
Cuyahoga	Maple Heights	44137	3,390	1,891	55.8%
Cuyahoga	Cleveland	44109	8,491	4,702	55.4%
Cuyahoga	Cleveland	44121	4,362	2,401	55.0%
Cuyahoga	Cleveland	44104	5,239	2,857	54.5%
Cuyahoga	Cleveland	44102	11,767	6,416	54.5%
Cuyahoga	Euclid	44123	3,545	1,861	52.5%
Cuyahoga	Brook Park	44142	1,575	808	51.3%
Cuyahoga	Cleveland	44143	2,778	1,397	50.3%
Cuyahoga	Solon	44139	1,417	704	49.7%
Cuyahoga	Cleveland	44106	6,824	3,361	49.3%
Cuyahoga	Brecksville	44141	769	373	48.5%
Cuyahoga	Cleveland	44129	3,295	1,594	48.4%
Cuyahoga	Bedford	44146	5,538	2,670	48.2%
Cuyahoga	Cleveland	44114	3,076	1,476	48.0%
Cuyahoga	Cleveland	44118	5,793	2,752	47.5%
Cuyahoga	Beachwood	44122	4,529	2,143	47.3%
Cuyahoga	Cleveland	44115	2,901	1,346	46.4%
Cuyahoga	Olmsted Falls	44138	1,730	790	45.7%
Cuyahoga	Chagrin Falls	44022	865	384	44.4%
Cuyahoga	Cleveland	44126	1,862	824	44.3%
Cuyahoga	Bay Village	44140	454	200	44.1%
Cuyahoga	North Olmsted	44070	3,349	1,475	44.0%
Cuyahoga	Cleveland	44144	3,741	1,642	43.9%
Cuyahoga	Berea	44017	2,090	895	42.8%
Cuyahoga	Cleveland	44134	3,309	1,394	42.1%
Cuyahoga	Cleveland	44124	5,540	2,333	42.1%
Cuyahoga	Cleveland	44130	7,773	3,263	42.0%
Cuyahoga	Rocky River	44116	2,408	953	39.6%
Cuyahoga	Strongsville	44136	2,631	1,033	39.3%
Cuyahoga	Westlake	44145	3,456	1,329	38.5%
Cuyahoga	Lakewood	44107	12,923	4,957	38.4%
Cuyahoga	Independence	44131	509	182	35.8%
Cuyahoga	North Royalton	44133	3,357	1,170	34.9%
Cuyahoga	Cleveland	44113	6,476	2,202	34.0%
Cuyahoga	Strongsville	44149	522	160	30.7%
Cuyahoga	Broadview Heights	44147	1,197	320	26.7%
Cuyahoga	Gates Mills	44040	27	7	25.9%
<b>Community Total</b>			<b>203,552</b>	<b>102,549</b>	<b>50.4%</b>
<b>Ohio</b>			1,453,379	678,101	46.7%
<b>United States</b>			39,799,272	20,138,321	50.6%

Source: U.S. Census, ACS 5-Year Estimates, 2018.

**Exhibit 20: Map of Percent of Rented Households Rent Burdened, 2013-2017**

### Description

The U.S. Department of Housing and Urban Development (“HUD”) has defined households that are “rent burdened” as those spending more than 30 percent of income on housing.<sup>12</sup> On that basis and based on data from the U.S. Census, Exhibits 19 and 20 portray the percentage of rented households in each ZIP code that are rent burdened.

### Observations

As stated by the Federal Reserve, “households that have little income left after paying rent may not be able to afford other necessities, such as food, clothes, health care, and transportation.”<sup>13</sup>

<sup>12</sup> <https://www.federalreserve.gov/econres/notes/feds-notes/assessing-the-severity-of-rent-burden-on-low-income-families-20171222.htm>

<sup>13</sup> *Ibid.*

## APPENDIX B – SECONDARY DATA ASSESSMENT

- 50 percent of households have been designated as “rent burdened,” a level above the Ohio average.
- The percentage of rented households rent burdened was highest in ZIP codes where poverty rates and the Dignity Health Community Need Index<sup>TM</sup> (CNI) also are above average (see next section for information on the CNI).


## APPENDIX B – SECONDARY DATA ASSESSMENT

### Dignity Health Community Need Index

**Exhibit 21: Community Need Index™ Score by ZIP Code, 2018**

County	City/Town	ZIP Code	CNI Score
Cuyahoga	Cleveland	44103	5.0
Cuyahoga	Cleveland	44104	5.0
Cuyahoga	Cleveland	44105	5.0
Cuyahoga	Cleveland	44108	5.0
Cuyahoga	Cleveland	44115	5.0
Cuyahoga	Cleveland	44127	5.0
Cuyahoga	Cleveland	44102	4.8
Cuyahoga	Cleveland	44109	4.8
Cuyahoga	Cleveland	44110	4.8
Cuyahoga	Cleveland	44113	4.8
Cuyahoga	Cleveland	44114	4.8
Cuyahoga	Cleveland	44106	4.6
Cuyahoga	Cleveland	44112	4.6
Cuyahoga	Euclid	44117	4.6
Cuyahoga	Cleveland	44120	4.4
Cuyahoga	Cleveland	44135	4.4
Cuyahoga	Cleveland	44128	4.2
Cuyahoga	Cleveland	44111	4.0
Cuyahoga	Euclid	44132	4.0
Cuyahoga	Maple Heights	44137	4.0
Cuyahoga	Cleveland	44119	3.8
Cuyahoga	Euclid	44123	3.8
Cuyahoga	Cleveland	44144	3.6
Cuyahoga	Bedford	44146	3.6
Cuyahoga	Cleveland	44125	3.4
Cuyahoga	Lakewood	44107	3.2
Cuyahoga	Cleveland	44118	3.2
Cuyahoga	Cleveland	44121	3.0
Cuyahoga	Beachwood	44122	3.0
Cuyahoga	Cleveland	44129	3.0
Cuyahoga	Cleveland	44130	2.8
Cuyahoga	Cleveland	44134	2.8
Cuyahoga	Berea	44017	2.6
Cuyahoga	Cleveland	44124	2.4
Cuyahoga	Brook Park	44142	2.4
Cuyahoga	Cleveland	44126	2.2
Cuyahoga	Strongsville	44136	2.2
Cuyahoga	Cleveland	44143	2.2
Cuyahoga	North Olmsted	44070	2.0
Cuyahoga	Westlake	44145	2.0
Cuyahoga	Rocky River	44116	1.8
Cuyahoga	North Royalton	44133	1.8
Cuyahoga	Olmsted Falls	44138	1.8
Cuyahoga	Independence	44131	1.6
Cuyahoga	Solon	44139	1.6
Cuyahoga	Broadview Heights	44147	1.6
Cuyahoga	Gates Mills	44040	1.4
Cuyahoga	Brecksville	44141	1.4
Cuyahoga	Strongsville	44149	1.4
Cuyahoga	Chagrin Falls	44022	1.2
Cuyahoga	Bay Village	44140	1.2
<b>Community Average</b>			<b>3.3</b>
Cuyahoga County Average			3.3

Source: Dignity Health, 2018.

**Exhibit 22: Community Need Index, 2018**

Source: Microsoft MapPoint and Dignity Health, 2018.

## Description

Exhibits 21 and 22 present the *Community Need Index*<sup>™</sup> (CNI) score for each ZIP code in the Fairhill community. Higher scores (e.g., 4.2 to 5.0) indicate the highest levels of community need. The index is calibrated such that 3.0 represents a U.S.-wide median score.

Dignity Health, a California-based hospital system, developed and published the CNI as a way to assess barriers to health care access. The index, available for every ZIP code in the United States, is derived from five social and economic indicators:

- The percentage of elders, children, and single parents living in poverty;
- The percentage of adults over the age of 25 with limited English proficiency, and the percentage of the population that is non-White;
- The percentage of the population without a high school diploma;
- The percentage of uninsured and unemployed residents; and
- The percentage of the population renting houses.

CNI scores are grouped into “Lowest Need” (1.0-1.7) to “Highest Need” (4.2-5.0) categories

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Observations

- Seventeen (17) of the 51 ZIP codes in the Fairhill community scored in the “highest need” category. Six ZIP codes received a score of 5.0, the highest possible. Eight other ZIP codes scored in the “lowest need” category.
- At 3.3, the weighted average CNI score for the Fairhill community is above the U.S. median of 3.0.



## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 23: Statistics Arrayed by CNI Range**

Indicators	Highest Need	<== CNI Range ==>			Lowest Need
	4.2-5.0	3.4-4.1	2.6-3.3	1.8-2.5	1.0-1.7
<b>Demographic Characteristics</b>					
ZIP Codes	17	8	8	10	8
Total Persons	387,943	181,185	291,614	262,222	132,817
Poverty Rate	37%	18%	12%	6%	4%
% African American	59%	40%	17%	5%	4%
<b>BRFSS Indicators</b>					
% Arthritis	27.3%	27.1%	22.5%	21.9%	21.1%
% Asthma	14.3%	13.1%	11.4%	11.0%	10.1%
% Depression	21.6%	20.7%	18.1%	17.3%	15.9%
% Diabetes	22.1%	17.6%	16.8%	15.9%	13.1%
% Heart Disease	9.7%	11.0%	11.4%	11.4%	9.9%
% Heart Failure	3.9%	4.5%	3.8%	4.0%	3.2%
<b>PQI Rates</b>					
COPD	1,603	1,130	676	714	315
Congestive Heart Failure	1,088	854	629	630	512
Diabetes long-term complications	231	189	130	104	70
Bacterial pneumonia	289	279	234	290	198
Dehydration	339	354	264	286	161
Diabetes short-term complications	143	117	52	48	28
Urinary tract infection	263	245	228	272	168
Hypertension	196	114	76	65	47
Low birth weight (per 1,000 births)	23	22	11	7	5
Young adult asthma	130	66	29	32	7
Lower-extremity amputation among patients with diabetes	72	46	40	32	24

Source: Verité Analysis.

### Description

Exhibit 23 provides data for community ZIP codes arranged by CNI Score.

### Observations

- ZIP codes found to be higher need are associated with higher rates of poverty, a higher proportion of the population Black, more problematic BRFSS indicators (e.g., rates of asthma and diabetes), and higher rates of admissions for Ambulatory Care Sensitive Conditions (“PQI rates” or “ACSCs”).

### Other Local Health Status and Access Indicators

This section assesses other health status and access indicators for the Fairhill community. Data sources include:

- (1) County Health Rankings
- (2) Community Health Status Indicators, published by County Health Rankings
- (3) Ohio Department of Health
- (4) CDC's Behavioral Risk Factor Surveillance System.

Throughout this section, data and cells are highlighted if indicators are unfavorable because they exceed benchmarks (typically, Ohio averages). Where confidence interval data are available, cells are highlighted only if variances are unfavorable and statistically significant.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### County Health Rankings

**Exhibit 24: County Health Rankings, 2015 and 2018**  
(Light Grey Shading Denotes Bottom Half of Ohio Counties; Dark Grey Denotes Bottom Quartile)

Measure	Cuyahoga County	
	2015	2018
<b>Health Outcomes</b>	65	60
<b>Health Factors</b>	50	62
<b>Length of Life</b>	51	48
Premature death	51	48
<b>Quality of Life</b>	72	67
Poor or fair health	32	46
Poor physical health days	24	24
Poor mental health days	49	12
Low birthweight	87	88
<b>Health Behaviors</b>	36	49
Adult smoking	14	50
Adult obesity	9	12
Food environment index	75	71
Physical inactivity	23	12
Access to exercise opportunities	3	2
Excessive drinking	33	22
Alcohol-impaired driving deaths	67	79
Sexually transmitted infections	87	86
Teen births	51	47
<b>Clinical Care</b>	6	4
Uninsured	53	49
Primary care physicians	2	2
Dentists	1	1
Mental health providers	2	3
Preventable hospital stays	33	25
Diabetes monitoring	65	62
Mammography screening	8	18
<b>Social &amp; Economic Factors</b>	78	79
High school graduation	85	83
Some college	8	9
Unemployment	51	52
Children in poverty	68	72
Income inequality	86	85
Children in single-parent households	88	86
Social associations	79	77
Violent crime	85	85
Injury deaths	31	47
<b>Physical Environment</b>	68	86
Air pollution	63	87
Severe housing problems	87	87
Driving alone to work	7	7
Long commute - driving alone	45	48

Source: County Health Rankings, 2018.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Description

Exhibit 24 presents *County Health Rankings*, a University of Wisconsin Population Health Institute initiative funded by the Robert Wood Johnson Foundation that incorporates a variety of health status indicators into a system that ranks each county/city within each state in terms of “health factors” and “health outcomes.” These health factors and outcomes are composite measures based on several variables grouped into the following categories: health behaviors, clinical care,<sup>14</sup> social and economic factors, and physical environment.<sup>15</sup> *County Health Rankings* is updated annually. *County Health Rankings 2018* relies on data from 2006 to 2017, with most data from 2011 to 2016.

The exhibit presents 2015 and 2018 rankings for each available indicator category. Rankings indicate how the county ranked in relation to all 88 counties in Ohio, with 1 indicating the most favorable rankings and 88 the least favorable. Light grey shading indicates rankings in the bottom half of Ohio counties; dark grey shading indicates rankings in bottom quartile of Ohio counties.

### Observations

- In 2018, Cuyahoga County ranked in the bottom 50<sup>th</sup> percentile among Ohio counties for 28 of the 42 indicators assessed. Of those, 15 were in the bottom quartile, including quality of life, social and economic factors, physical environment, and various socioeconomic indicators.

---

<sup>14</sup>A composite measure of Access to Care, which examines the percent of the population without health insurance and ratio of population to primary care physicians, and Quality of Care, which examines the hospitalization rate for ambulatory care sensitive conditions, whether diabetic Medicare patients are receiving HbA1C screening, and percent of chronically ill Medicare enrollees in hospice care in the last 8 months of life.

<sup>15</sup>A composite measure that examines Environmental Quality, which measures the number of air pollution-particulate matter days and air pollution-ozone days, and Built Environment, which measures access to healthy foods and recreational facilities and the percent of restaurants that are fast food.

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 25: County Health Rankings Data Compared to Ohio and U.S. Averages, 2018**  
**(Light Grey Shading Denotes Bottom Half of Ohio Counties; Dark Grey Denotes Bottom Quartile)**

Indicator Category	Data	Cuyahoga County	Ohio	United States
<b>Health Outcomes</b>				
Length of Life	Years of potential life lost before age 75 per 100,000 population	8,037	<b>7,734</b>	6,700
Quality of Life	Percent of adults reporting fair or poor health	16.4%	<b>17.0%</b>	16.0%
	Average number of physically unhealthy days reported in past 30 days	3.7	<b>4.0</b>	3.7
	Average number of mentally unhealthy days reported in past 30 days	3.7	<b>4.3</b>	3.8
	Percent of live births with low birthweight (<2500 grams)	10.6%	<b>8.6%</b>	8.0%
<b>Health Factors</b>				
<b>Health Behaviors</b>				
Adult Smoking	Percent of adults that report smoking >= 100 cigarettes and currently smoking	20.6%	<b>22.5%</b>	17.0%
Adult Obesity	Percent of adults that report a BMI >= 30	29.9%	<b>31.6%</b>	28.0%
Food Environment Index	Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)	7.0	<b>6.6</b>	7.7
Physical Inactivity	Percent of adults aged 20 and over reporting no leisure-time physical activity	24.3%	<b>25.7%</b>	23.0%
Access to Exercise Opportunities	Percent of population with adequate access to locations for physical activity	96.1%	<b>84.7%</b>	83.0%
Excessive Drinking	Binge plus heavy drinking	16.8%	<b>19.1%</b>	18.0%
Alcohol-Impaired Driving Deaths	Percent of driving deaths with alcohol involvement	44.0%	<b>34.3%</b>	29.0%
STDs	Chlamydia rate per 100,000 population	720	<b>489</b>	479
Teen Births	Teen birth rate per 1,000 female population, ages 15-19	30.3	<b>27.6</b>	27.0
<b>Clinical Care</b>				
Uninsured	Percent of population under age 65 without health insurance	7.8%	<b>7.7%</b>	11.0%
Primary Care Physicians	Ratio of population to primary care physicians	898:1	<b>1,307:1</b>	1,320:1
Dentists	Ratio of population to dentists	979:1	<b>1,656:1</b>	1,480:1
Mental Health Providers	Ratio of population to mental health providers	356:1	<b>561:1</b>	470:1
Preventable Hospital Stays	Hospitalization rate for ambulatory-care sensitive conditions per 1,000 Medicare enrollees	53	<b>57</b>	49
Diabetes Screening	Percent of diabetic Medicare enrollees that receive HbA1c monitoring	83.8%	<b>85.1%</b>	85.0%
Mammography Screening	Percent of female Medicare enrollees, ages 67-69, that receive mammography screening	64.7%	<b>61.2%</b>	63.0%

Source: County Health Rankings, 2018.

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 25: County Health Rankings Data Compared to Ohio and U.S. Averages, 2018** *(continued)*  
 (Light Grey Shading Denotes Bottom Half of Ohio Counties; Dark Grey Denotes Bottom Quartile)

Indicator Category	Data	Cuyahoga County	Ohio	United States
<b>Health Factors</b>				
<b>Social &amp; Economic Factors</b>				
High School Graduation	Percent of ninth-grade cohort that graduates in four years	74.8%	<b>81.2%</b>	83.0%
Some College	Percent of adults aged 25-44 years with some post-secondary education	68.7%	<b>64.5%</b>	65.0%
Unemployment	Percent of population age 16+ unemployed but seeking work	5.4%	<b>4.9%</b>	4.9%
Children in Poverty	Percent of children under age 18 in poverty	26.4%	<b>20.4%</b>	20.0%
Income Inequality	Ratio of household income at the 80th percentile to income at the 20th percentile	5.6	<b>4.8</b>	5.0
Children in Single-Parent Households	Percent of children that live in a household headed by single parent	45.0%	<b>35.7%</b>	34.0%
Social Associations	Number of associations per 10,000 population	9.3	<b>11.3</b>	9.3
Violent Crime	Number of reported violent crime offenses per 100,000 population	589	<b>290</b>	380
Injury Deaths	Injury mortality per 100,000	76.4	<b>75.5</b>	65.0
<b>Physical Environment</b>				
Air Pollution	The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county	12.9	<b>11.3</b>	8.7
Severe Housing Problems	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities	18.5%	<b>15.0%</b>	19.0%
Driving Alone to Work	Percent of the workforce that drives alone to work	79.8%	<b>83.4%</b>	76.0%
Long Commute – Drive Alone	Among workers who commute in their car alone, the percent that commute more than 30 minutes	32.6%	<b>30.0%</b>	35.0%

Source: County Health Rankings, 2018.

### Description

Exhibit 25 provides data that underlie the County Health Rankings.<sup>16</sup> The exhibit also includes Ohio and national averages. Light grey shading highlights indicators found to be worse than the Ohio average; dark grey shading highlights indicators more than 50 percent worse than the Ohio average.

### Observations

- Cuyahoga County's violent crime rate is more than 50 percent worse than the Ohio average.
- Additionally, the following indicators (presented alphabetically) compared unfavorably:
  - Air pollution (average daily PM2.5)
  - Chlamydia rate
  - High school graduation rate
  - Income inequality ratio
  - Injury mortality rate
  - Percent of births with low birthweight
  - Percent of children in poverty
  - Percent of children in single-parent households
  - Percent of driving deaths with alcohol involvement
  - Percent of households with severe housing problems
  - Percent of population without health insurance
  - Percent workers with long commute who drive alone
  - Social associations rate
  - Teen birth rate
  - Unemployment
  - Years of potential life lost rate
- Ohio-wide indicators are worse than U.S. averages for virtually all of the indicators presented.

---

<sup>16</sup> County Health Rankings provides details about what each indicator measures, how it is defined, and data sources at [http://www.countyhealthrankings.org/sites/default/files/resources/2013Measures\\_datasources\\_years.pdf](http://www.countyhealthrankings.org/sites/default/files/resources/2013Measures_datasources_years.pdf)

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Community Health Status Indicators

**Exhibit 26: Community Health Status Indicators, 2018**  
(Light Grey Shading Denotes Bottom Half of Peer Counties; Dark Grey Denotes Bottom Quartile)

Category	Indicator	Cuyahoga County
Length of Life	Years of Potential Life Lost Rate	
Quality of Life	% Fair/Poor Health	
	Physically Unhealthy Days	
	Mentally Unhealthy Days	
	% Births - Low Birth Weight	
Health Behaviors	% Smokers	
	% Obese	
	Food Environment Index	
	% Physically Inactive	
	% With Access to Exercise Opportunities	
	% Excessive Drinking	
	% Driving Deaths Alcohol-Impaired	
	Chlamydia Rate	
	Teen Birth Rate	
Clinical Care	% Uninsured	
	Primary Care Physicians Rate	
	Dentist Rate	
	Mental Health Professionals Rate	
	Preventable Hosp. Rate	
	% Receiving HbA1c Screening	
	% Mammography Screening	
Social & Economic Factors	High School Graduation Rate	
	% Some College	
	% Unemployed	
	% Children in Poverty	
	Income Ratio	
	% Children in Single-Parent Households	
	Social Association Rate	
	Violent Crime Rate	
	Injury Death Rate	
Physical Environment	Average Daily PM2.5	
	% Severe Housing Problems	
	% Drive Alone to Work	
	% Long Commute - Drives Alone	

Source: Community Health Status Indicators, 2017.



## APPENDIX B – SECONDARY DATA ASSESSMENT

### Description

County Health Rankings has organized community health data for all 3,143 counties in the United States. Following a methodology developed by the Centers for Disease Control’s *Community Health Status Indicators* Project (CHSI), County Health Rankings also publishes lists of “peer counties,” so comparisons with peer counties in other states can be made. Each county in the U.S. is assigned 30 to 35 peer counties based on 19 variables including population size, population growth, population density, household income, unemployment, percent children, percent elderly, and poverty rates.

This *Community Health Status Indicators* analysis formerly was available from the CDC. Because comparisons with peer counties (rather than only counties in the same state) are meaningful, Verité Healthcare Consulting rebuilt the CHSI comparisons for this and other CHNAs.

Exhibit 26 compares Cuyahoga County to its respective peer counties and highlights community health issues found to rank in the bottom half and bottom quartile of the counties included in the analysis. Light grey shading indicates rankings in the bottom half of peer counties; dark grey shading indicates rankings in the bottom quartile of peer counties.

### Observations

- The CHSI data indicate that Cuyahoga County compared unfavorably to its peers for the following indicators:
  - Percent of births with low birthweight
  - Percent of adults who smoke
  - Percent of driving deaths with alcohol involvement
  - Air pollution (average daily PM2.5)
  - Percent of workforce who drives alone

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Ohio Department of Health

**Exhibit 27: Selected Causes of Death, Age-Adjusted Rates per 100,000 Population, 2016**  
(Light Grey Shading Denotes Indicators Worse than Ohio Average; Dark Grey Denotes Any Indicators More than 50 Percent Worse than Ohio Average)

Specific Causes of Death	Cuyahoga County	Ohio
All Causes of Death	827.3	<b>832.3</b>
All other forms of chronic ischemic heart disease	52.3	<b>53.2</b>
Other chronic obstructive pulmonary disease	33.6	<b>43.7</b>
Organic dementia	46.5	<b>38.4</b>
Alzheimer's disease	20.5	<b>33.4</b>
Acute myocardial infarction	24.4	<b>32.1</b>
Accidental poisoning by and exposure to drugs and other biological substances	44.6	<b>36.8</b>
Diabetes mellitus	25.9	<b>24.6</b>
Conduction disorders and cardiac dysrhythmias	21.0	<b>20.2</b>
Congestive heart failure	17.8	<b>19.5</b>
Stroke, not specified as hemorrhage or infarction	16.1	<b>17.8</b>
Atherosclerotic cardiovascular disease	34.5	<b>15.4</b>
Renal failure	15.3	<b>15.1</b>
Septicemia	17.1	<b>13.7</b>
Pneumonia	9.3	<b>13.3</b>
All other diseases of nervous system	9.6	<b>12.3</b>
Hypertensive heart disease	15.0	<b>11.9</b>
All other diseases of respiratory system	8.3	<b>11.4</b>
Other cerebrovascular diseases and their sequelae	7.7	<b>10.4</b>
Parkinson's disease	6.9	<b>8.7</b>
Intentional self-harm (suicide) by discharge of firearms	6.2	<b>7.4</b>
Alcoholic liver disease	5.8	<b>5.1</b>
Unspecified fall	0.7	<b>4.7</b>

Source: Ohio Department of Health, 2017.

### Description

The Ohio Department of Health maintains a database that includes county-level mortality rates and cancer incidence rates. Exhibit 27 provides age-adjusted mortality rates for selected causes of death in 2016.

### Observations

- Cuyahoga County's atherosclerotic cardiovascular disease mortality rate is more than 50 percent worse than the Ohio average.

## APPENDIX B – SECONDARY DATA ASSESSMENT

- Additionally, the following indicators compared unfavorably:
  - Organic dementia
  - Accidental poisoning by and exposure to drugs and other biological substances
  - Diabetes mellitus
  - Conduction disorders and cardiac dysrhythmias
  - Renal failure
  - Septicemia
  - Hypertensive heart disease
  - Alcohol liver disease

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 28: Age-Adjusted Cancer Mortality Rates per 100,000 Population, 2016**  
(Light Grey Shading Denotes Indicators Worse than Ohio Average; Dark Grey Denotes Any Indicators More than 50 Percent Worse than Ohio Average)

Cancer Site/Type	Cuyahoga County	Ohio
All Cancer Types	180.0	<b>173.8</b>
Lung and Bronchus	44.7	<b>47.9</b>
Prostate	23.2	<b>19.8</b>
Other Sites/Types	21.5	<b>19.6</b>
Colon & Rectum	14.5	<b>15.5</b>
Breast	12.7	<b>12.0</b>
Pancreas	13.1	<b>11.5</b>
Ovary	8.9	<b>7.8</b>
Leukemia	7.9	<b>6.9</b>
Liver & Intrahepatic Bile Duct	7.6	<b>6.1</b>
Non-Hodgkins Lymphoma	5.7	<b>5.9</b>
Uterus	6.9	<b>5.2</b>
Esophagus	4.7	<b>5.1</b>
Bladder	6.2	<b>5.1</b>
Brain and Other CNS	4.1	<b>4.8</b>
Kidney & Renal Pelvis	3.4	<b>3.8</b>
Multiple Myeloma	3.3	<b>3.3</b>
Oral Cavity & Pharynx	3.1	<b>2.9</b>
Melanoma of Skin	1.4	<b>2.6</b>
Stomach	4.1	<b>2.5</b>
Cervix	3.3	<b>2.1</b>
Larynx	1.0	<b>1.2</b>
Thyroid	0.8	<b>0.4</b>

Source: Ohio Department of Health, 2017.

### Description

Exhibit 28 provides age-adjusted mortality rates for selected types of cancer in 2016.

### Observations

- The overall cancer mortality rate in Cuyahoga County was higher than the Ohio average.
- Cuyahoga County's age-adjusted stomach, cervix, and thyroid cancer mortality rates were significantly higher than the Ohio average.

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 29: Age-Adjusted Cancer Incidence Rates per 100,000 Population, 2011-2015**  
(Light Grey Shading Denotes Indicators Worse than Ohio Average)

Cancer Site/Type	Cuyahoga County	Ohio
All Cancer Types	483.2	<b>461.6</b>
Prostate	131.7	<b>108.0</b>
Lung and Bronchus	65.6	<b>69.3</b>
Breast	73.1	<b>68.0</b>
Colon & Rectum	43.4	<b>41.7</b>
Other Sites/Types	39.5	<b>36.4</b>
Uterus	32.5	<b>29.2</b>
Bladder	20.9	<b>21.9</b>
Melanoma of Skin	16.8	<b>21.7</b>
Non-Hodgkins Lymphoma	20.1	<b>19.0</b>
Kidney & Renal Pelvis	16.9	<b>16.8</b>
Thyroid	16.4	<b>14.8</b>
Pancreas	13.8	<b>12.7</b>
Leukemia	12.7	<b>12.2</b>
Oral Cavity & Pharynx	11.1	<b>11.7</b>
Ovary	12.2	<b>11.4</b>
Cervix	6.6	<b>7.6</b>
Brain and Other CNS	6.7	<b>6.9</b>
Liver & Intrahepatic Bile Duct	8.9	<b>6.7</b>
Stomach	7.9	<b>6.4</b>
Multiple Myeloma	7.4	<b>5.8</b>
Testis	6.8	<b>5.8</b>
Esophagus	5.1	<b>5.1</b>
Larynx	4.3	<b>4.1</b>
Hodgkins Lymphoma	3.3	<b>2.7</b>

Source: Ohio Department of Health, 2016.

### Description

Exhibit 29 presents age-adjusted cancer incidence rates by county.

### Observations

- The overall cancer incidence rate in Cuyahoga County was higher than the Ohio average.
- Incidence rates were also higher in Cuyahoga County for a variety of indicators, including prostate, breast, colon and rectum, and uterus cancers.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### Behavioral Risk Factor Surveillance System

**Exhibit 30: Behavioral Risk Factor Surveillance System, Chronic Conditions, 2017**  
**(Light Grey Shading Denotes Indicators Worse than Ohio Average; Dark Grey Denotes Any Indicators More than 50 Percent Worse than Ohio Average)**

County	City/Town	ZIP Code	Total Population 18+	% Arthritis	% Asthma	% Depression	% Diabetes	% Heart Disease	% Heart Failure	% High Blood Pressure	% High Cholesterol	% Adult Smoking	% COPD	% Back Pain
Cuyahoga	Berea	44017	15,486	22.6%	10.8%	17.3%	13.3%	9.8%	3.6%	28.8%	22.9%	28.4%	5.2%	30.3%
Cuyahoga	Chagrin Falls	44022	13,477	19.2%	10.8%	16.3%	13.1%	9.6%	3.8%	32.1%	29.2%	19.2%	3.9%	23.1%
Cuyahoga	Gates Mills	44040	2,614	18.7%	11.2%	13.4%	13.0%	16.0%	3.2%	34.7%	24.1%	18.9%	4.8%	26.5%
Cuyahoga	North Olmsted	44070	25,696	22.3%	10.3%	16.7%	15.3%	11.5%	3.7%	32.3%	22.9%	23.3%	4.8%	27.6%
Cuyahoga	Cleveland	44102	31,962	27.1%	14.4%	22.3%	22.7%	8.6%	3.2%	37.3%	27.6%	36.9%	6.3%	34.2%
Cuyahoga	Cleveland	44103	14,146	30.7%	15.1%	23.0%	24.4%	9.2%	4.1%	42.5%	28.9%	34.4%	7.5%	35.3%
Cuyahoga	Cleveland	44104	13,885	29.0%	15.1%	24.3%	25.9%	9.1%	4.2%	37.6%	28.7%	34.0%	6.9%	38.6%
Cuyahoga	Cleveland	44105	28,310	29.2%	14.8%	23.5%	22.8%	7.8%	4.2%	41.0%	26.5%	35.9%	8.2%	33.8%
Cuyahoga	Cleveland	44106	23,636	22.3%	14.5%	18.1%	20.7%	11.2%	2.8%	30.2%	24.7%	31.1%	5.3%	31.9%
Cuyahoga	Lakewood	44107	41,528	20.5%	12.1%	17.9%	15.5%	9.8%	3.3%	31.3%	24.4%	28.9%	5.1%	31.5%
Cuyahoga	Cleveland	44108	17,334	29.6%	14.3%	22.8%	23.7%	7.9%	4.0%	42.1%	26.7%	34.0%	7.7%	32.8%
Cuyahoga	Cleveland	44109	28,800	27.4%	14.2%	23.5%	21.8%	9.8%	3.7%	36.7%	28.2%	33.7%	7.1%	33.8%
Cuyahoga	Cleveland	44110	13,582	29.4%	15.2%	23.1%	23.5%	9.7%	4.2%	39.9%	27.7%	34.1%	7.4%	35.1%
Cuyahoga	Cleveland	44111	30,098	25.2%	13.5%	22.1%	19.9%	8.9%	3.5%	36.5%	27.0%	33.3%	7.5%	32.2%
Cuyahoga	Cleveland	44112	16,206	31.6%	14.8%	22.3%	24.5%	9.4%	4.5%	43.0%	31.1%	35.3%	8.3%	36.5%
Cuyahoga	Cleveland	44113	16,615	20.1%	14.6%	17.3%	21.0%	11.6%	2.5%	30.6%	23.3%	30.3%	5.8%	30.1%
Cuyahoga	Cleveland	44114	4,626	20.8%	13.9%	15.4%	20.4%	11.6%	2.8%	32.5%	24.4%	29.9%	5.8%	28.5%
Cuyahoga	Cleveland	44115	6,344	20.8%	14.0%	19.6%	22.4%	11.2%	2.6%	25.5%	24.1%	28.6%	4.6%	34.6%
Cuyahoga	Rocky River	44116	16,136	20.9%	10.4%	17.9%	18.7%	12.2%	4.8%	31.6%	27.3%	20.9%	4.3%	26.0%
Cuyahoga	Euclid	44117	9,080	30.7%	14.3%	19.7%	20.6%	13.2%	6.1%	35.8%	30.2%	29.4%	8.0%	35.6%
Cuyahoga	Cleveland	44118	28,841	19.9%	10.3%	15.6%	15.2%	11.3%	3.1%	28.7%	23.5%	25.3%	4.9%	30.1%
Cuyahoga	Cleveland	44119	10,290	28.3%	12.4%	19.5%	16.3%	11.4%	4.6%	34.8%	28.6%	31.0%	7.6%	32.8%
Cuyahoga	Cleveland	44120	28,209	26.3%	12.9%	20.0%	20.1%	9.0%	3.8%	37.8%	25.9%	30.2%	6.7%	32.7%
Cuyahoga	Cleveland	44121	25,637	17.6%	11.8%	18.1%	13.3%	8.8%	3.4%	29.3%	20.6%	27.6%	6.2%	26.5%
Cuyahoga	Beachwood	44122	27,750	23.6%	11.1%	15.9%	18.1%	12.8%	4.2%	31.0%	29.3%	21.0%	5.6%	29.8%
Cuyahoga	Euclid	44123	13,122	25.6%	14.3%	21.5%	15.9%	9.9%	5.6%	31.1%	23.0%	30.1%	7.0%	35.5%
<b>Hospital Community</b>			<b>989,879</b>	<b>24.3%</b>	<b>12.3%</b>	<b>19.1%</b>	<b>17.9%</b>	<b>10.7%</b>	<b>3.9%</b>	<b>33.5%</b>	<b>26.2%</b>	<b>27.4%</b>	<b>6.0%</b>	<b>30.3%</b>
<b>Ohio Average</b>			<b>9,044,061</b>	<b>24.2%</b>	<b>11.9%</b>	<b>19.2%</b>	<b>15.7%</b>	<b>10.7%</b>	<b>4.5%</b>	<b>31.8%</b>	<b>25.0%</b>	<b>27.5%</b>	<b>6.0%</b>	<b>31.1%</b>

Source: Truven Market Expert/Behavioral Risk Factor Surveillance System, 2018.

## APPENDIX B – SECONDARY DATA ASSESSMENT

**Exhibit 30: Behavioral Risk Factor Surveillance System, Chronic Conditions, 2017 *(continued)***  
**(Light Grey Shading Denotes Indicators Worse than Ohio Average; Dark Grey Denotes Any Indicators More than 50 Percent Worse than Ohio Average)**

County	City/Town	ZIP Code	Total Population 18+	% Arthritis	% Asthma	% Depression	% Diabetes	% Heart Disease	% Heart Failure	% High Blood Pressure	% High Cholesterol	% Adult Smoking	% COPD	% Back Pain
Cuyahoga	Cleveland	44124	31,643	23.1%	11.0%	16.9%	16.6%	12.7%	4.5%	32.3%	27.5%	22.3%	5.1%	27.4%
Cuyahoga	Cleveland	44125	20,670	26.7%	12.2%	19.6%	17.4%	12.3%	4.1%	31.2%	26.9%	30.8%	7.0%	32.7%
Cuyahoga	Cleveland	44126	12,877	24.5%	11.6%	18.8%	15.8%	9.4%	4.9%	32.4%	23.7%	24.3%	4.7%	28.4%
Cuyahoga	Cleveland	44127	3,768	28.0%	15.5%	24.0%	23.3%	7.7%	3.5%	40.6%	26.8%	36.4%	7.5%	34.0%
Cuyahoga	Cleveland	44128	21,270	30.1%	13.5%	21.2%	21.2%	11.3%	5.4%	36.6%	28.6%	32.0%	7.8%	32.7%
Cuyahoga	Cleveland	44129	22,129	26.7%	12.2%	21.8%	19.1%	15.1%	3.5%	30.4%	31.5%	26.3%	6.2%	30.8%
Cuyahoga	Cleveland	44130	41,083	24.8%	11.6%	18.4%	19.0%	10.6%	4.7%	34.1%	26.2%	25.9%	6.3%	29.1%
Cuyahoga	Independence	44131	16,637	21.8%	9.1%	14.5%	15.7%	11.5%	3.5%	31.8%	22.1%	20.2%	4.5%	24.9%
Cuyahoga	Euclid	44132	10,591	28.2%	15.3%	22.1%	15.6%	13.6%	4.0%	35.0%	25.1%	29.9%	6.5%	35.4%
Cuyahoga	North Royalton	44133	25,842	20.3%	10.7%	17.3%	13.8%	10.0%	3.2%	29.7%	22.3%	23.6%	4.4%	27.7%
Cuyahoga	Cleveland	44134	29,459	25.0%	11.3%	20.3%	19.3%	13.8%	4.2%	32.0%	29.0%	26.3%	6.2%	29.4%
Cuyahoga	Cleveland	44135	19,726	26.0%	13.0%	21.4%	17.9%	10.9%	4.0%	34.7%	27.1%	32.0%	7.8%	33.2%
Cuyahoga	Strongsville	44136	19,866	17.5%	12.1%	17.2%	14.8%	12.8%	3.1%	31.5%	23.4%	19.0%	4.0%	26.6%
Cuyahoga	Maple Heights	44137	17,350	28.2%	13.5%	20.7%	15.4%	10.0%	5.2%	32.8%	26.1%	31.3%	7.3%	34.3%
Cuyahoga	Olmsted Falls	44138	18,354	21.1%	12.0%	18.0%	18.9%	11.6%	4.3%	33.2%	28.4%	24.4%	4.5%	25.3%
Cuyahoga	Solon	44139	18,499	21.9%	10.0%	16.4%	12.3%	9.5%	3.0%	28.7%	26.7%	21.0%	3.5%	23.7%
Cuyahoga	Bay Village	44140	11,585	21.8%	10.4%	15.3%	11.3%	7.6%	2.8%	33.0%	23.8%	17.9%	4.7%	24.0%
Cuyahoga	Brecksville	44141	10,978	22.1%	9.4%	14.6%	12.4%	9.0%	3.4%	27.7%	27.2%	20.3%	4.3%	24.4%
Cuyahoga	Brook Park	44142	14,996	26.8%	11.2%	18.6%	16.5%	11.7%	5.2%	34.3%	27.5%	27.3%	6.6%	31.1%
Cuyahoga	Cleveland	44143	19,354	21.9%	11.4%	17.7%	16.2%	12.2%	3.8%	31.7%	26.0%	21.2%	4.5%	26.7%
Cuyahoga	Cleveland	44144	16,608	28.2%	12.5%	21.4%	20.4%	12.8%	4.0%	34.7%	30.6%	29.8%	7.3%	32.6%
Cuyahoga	Westlake	44145	26,850	22.2%	10.3%	15.9%	14.2%	9.5%	3.2%	32.5%	24.6%	19.2%	4.9%	25.9%
Cuyahoga	Bedford	44146	24,745	28.1%	12.3%	18.8%	17.0%	11.2%	5.4%	33.4%	26.7%	27.8%	7.1%	31.6%
Cuyahoga	Broadview Heights	44147	15,528	21.6%	10.6%	16.6%	12.8%	11.0%	3.1%	29.1%	22.0%	20.0%	3.9%	26.8%
Cuyahoga	Strongsville	44149	16,061	19.7%	10.3%	17.2%	13.9%	9.3%	3.2%	32.0%	22.7%	18.6%	4.2%	26.6%
<b>Hospital Community</b>			<b>989,879</b>	<b>24.3%</b>	<b>12.3%</b>	<b>19.1%</b>	<b>17.9%</b>	<b>10.7%</b>	<b>3.9%</b>	<b>33.5%</b>	<b>26.2%</b>	<b>27.4%</b>	<b>6.0%</b>	<b>30.3%</b>
<b>Ohio Average</b>			<b>9,044,061</b>	<b>24.2%</b>	<b>11.9%</b>	<b>19.2%</b>	<b>15.7%</b>	<b>10.7%</b>	<b>4.5%</b>	<b>31.8%</b>	<b>25.0%</b>	<b>27.5%</b>	<b>6.0%</b>	<b>31.1%</b>

Source: Truven Market Expert/Behavioral Risk Factor Surveillance System, 2018.

## APPENDIX B – SECONDARY DATA ASSESSMENT

### **Description**

The Centers for Disease Control and Prevention's (CDC) Behavioral Risk Factor Surveillance System (BRFSS) gathers data through a telephone survey regarding health risk behaviors, healthcare access, and preventive health measures. Data are collected for the entire United States. Analysis of BRFSS data can identify localized health issues, trends, and health disparities, and can enable county, state, or nation-wide comparisons.

Exhibit 30 depicts BRFSS data for each ZIP code in the Fairhill community and compared to the averages for Ohio.

### **Observations**

- Fairhill community averages for the prevalence of arthritis, asthma, diabetes, high blood pressure, high cholesterol, and COPD were worse than the Ohio averages.
- ZIP codes 44117 and 44119 compared unfavorably to Ohio averages for all conditions.



## Ambulatory Care Sensitive Conditions

**Exhibit 31: Ratio of PQI Rates for Fairhill Community and Ohio, 2017**

Indicator	Community Averages	Ohio Averages	Ratio: Fairhill / Ohio
Young Adult Asthma	67.4	35.7	1.9
Hypertension	111.9	71.6	1.6
Uncontrolled Diabetes	77.6	50.2	1.5
Chronic Obstructive Pulmonary Disease	962.6	695.6	1.4
Congestive Heart Failure	786.6	584.2	1.3
Dehydration	293.1	218.3	1.3
Diabetes Long-Term Complications	156.7	120.2	1.3
Lower-Extremity Amputation Among Patients with Diabetes	47.0	36.3	1.3
Urinary Tract Infection	244.1	197.5	1.2
Diabetes Short-Term Complications	85.4	70.1	1.2
Bacterial Pneumonia	265.2	238.4	1.1
Perforated Appendix	577.9	594.7	1.0
Low Birth Weight	16.2	18.1	0.9

Source: Cleveland Clinic, 2018.

Note: Rates are not age-sex adjusted. Perforated appendix rate calculated per 1,000; low birth weight calculated per 1,000 births.

### Description

Exhibit 31 provides the ratio of ACSCs or PQI rates in the Fairhill community to rates for Ohio as a whole. Conditions where the ratios are highest (meaning that the PQI rates in the community are the most above average) are presented first.

ACSCs are health “conditions for which good outpatient care can potentially prevent the need for hospitalization or for which early intervention can prevent complications or more severe disease.”<sup>17</sup> As such, rates of hospitalization for these conditions can “provide insight into the quality of the health care system outside of the hospital,” including the accessibility and utilization of primary care, preventive care and health education. Among these conditions are: angina without procedure, diabetes, perforated appendixes, chronic obstructive pulmonary disease (COPD), hypertension, congestive heart failure, dehydration, bacterial pneumonia, urinary tract infection, and asthma.

Disproportionately high rates of discharges for ACSC indicate potential problems with the availability or accessibility of ambulatory care and preventive services and can suggest areas for improvement in the health care system and ways to improve outcomes.

<sup>17</sup>Agency for Healthcare Research and Quality (AHRQ) Prevention Quality Indicators.


## APPENDIX B – SECONDARY DATA ASSESSMENT

### Observations

- The community ACSC rate for young adult asthma was above the Ohio average by 90 percent. Rates for hypertension, uncontrolled diabetes, and COPD were above the Ohio average by 40 percent or more.

## Food Deserts

Exhibit 32: Food Deserts, 2017



Source: Microsoft MapPoint and U.S. Department of Agriculture, 2017.

### Description

Exhibit 32 shows the location of “food deserts” in the community.


The U.S. Department of Agriculture’s Economic Research Service defines urban food deserts as low-income areas more than one mile from a supermarket or large grocery store and rural food deserts as more than 10 miles from a supermarket or large grocery store. Many government-led initiatives aim to increase the availability of nutritious and affordable foods to people living in these areas.

### Observations

- Several census tracts in Cuyahoga County have been designated as food deserts.

## Medically Underserved Areas and Populations

**Exhibit 33: Medically Underserved Areas and Populations, 2018**



Source: Microsoft MapPoint and HRSA, 2018.

### Description

Exhibit 33 illustrates the location of Medically Underserved Areas (MUAs) and Medically Underserved Populations (MUPs) in the community.

Medically Underserved Areas and Populations (MUA/Ps) are designated by HRSA based on an “Index of Medical Underservice.” The index includes the following variables: ratio of primary medical care physicians per 1,000 population, infant mortality rate, percentage of the population with incomes below the poverty level, and percentage of the population age 65 or over.<sup>18</sup> Areas with a score of 62 or less are considered “medically underserved.”

Populations receiving MUP designation include groups within a geographic area with economic barriers or cultural and/or linguistic access barriers to receiving primary care. If a population group does not qualify for MUP status based on the IMU score, Public Law 99-280 allows MUP

<sup>18</sup> Heath Resources and Services Administration. See <http://www.hrsa.gov/shortage/mua/index.html>

## APPENDIX B – SECONDARY DATA ASSESSMENT

designation if “unusual local conditions which are a barrier to access to or the availability of personal health services exist and are documented, and if such a designation is recommended by the chief executive officer and local officials of the state where the requested population resides.”<sup>19</sup>

### **Observations**


- Several census tracts have been designated as areas where Medically Underserved Areas are present, particularly in areas proximate to the hospital.

---

<sup>19</sup>*Ibid.*


## Health Professional Shortage Areas

Exhibit 34: Primary Care Health Professional Shortage Areas, 2018





**Exhibit 35: Dental Care Health Professional Shortage Areas, 2018**



Source: Health Resources and Services Administration, 2018.

## Description

Exhibits 34 and 35 show the locations of federally-designated primary care and dental care HPSA Census Tracts.

A geographic area can receive a federal Health Professional Shortage Area (HPSA) designation if a shortage of primary medical care, dental care, or mental health care professionals is found to be present. In addition to areas and populations that can be designated as HPSAs, a health care facility can receive federal HPSA designation and an additional Medicare payment if it provides primary medical care services to an area or population group identified as having inadequate access to primary care, dental, or mental health services.

## APPENDIX B – SECONDARY DATA ASSESSMENT

HPSAs can be: “(1) An urban or rural area (which need not conform to the geographic boundaries of a political subdivision and which is a rational area for the delivery of health services); (2) a population group; or (3) a public or nonprofit private medical facility.”<sup>20</sup>

### Observations

- Census tracts in Cuyahoga County have been designated as primary care and dental care HPSAs.

---

<sup>20</sup> U.S. Health Resources and Services Administration, Bureau of Health Professionals. (n.d.). *Health Professional Shortage Area Designation Criteria*. Retrieved 2012, from <http://bhpr.hrsa.gov/shortage/hpsas/designationcriteria/index.html>



## Findings of Other Assessments

In recent years, the Ohio Department of Health and the local health department in Cuyahoga County conducted Community Health Assessments and developed Health Improvement Plans. This section identifies community health priorities found in that work. This CHNA report considers those findings when *significant* community health needs are specified.

### State Health Improvement Plan, 2017-2019

The Ohio Department of Health prepared a 2017-2019 State Health Improvement Plan (SHIP), informed by its State Health Assessment. The SHIP established two overall health outcomes (improving health status and reducing premature death) and ten priority outcomes organized into three “topics,” as follows:

1. Mental Health and Addiction
  - Depression
  - Suicide
  - Drug dependency/abuse
  - Drug overdose deaths
2. Chronic Disease
  - Heart disease
  - Diabetes
  - Child asthma
3. Maternal and infant health
  - Preterm births
  - Low birth weight
  - Infant mortality

For each outcome, the plan calls for achieving equity for “priority populations” specified throughout the report, including low-income adults, Black (non-Hispanic males), and other specific groups.

The plan also addresses the outcomes through strategies focused on “cross-cutting factors,” namely:

1. Social Determinants of Health, e.g.,
  - Increase third grade reading proficiency,
  - Reduce school absenteeism,
  - Address high housing cost burden, and
  - Reduce secondhand smoke exposure for children.
2. Public Health System, prevention and health behaviors, e.g.,
  - Consume healthy food,
  - Reduce physical inactivity,
  - Reduce adult smoking, and

## APPENDIX B – SECONDARY DATA ASSESSMENT

- Reduce youth all-tobacco use.
- 3. Healthcare system and access, e.g.,
  - Reduce percent of adults who are uninsured,
  - Reduce percent of adults unable to see a doctor due to cost, and
  - Reduce primary care health professional shortage areas.
- 4. Equity strategies likely to decrease disparities for priority populations.

### **Cuyahoga County Community Health Assessment 2018**

A Community Health Assessment (“CHA”) for Cuyahoga County was developed through a collaboration between Case Western Reserve University School of Medicine, the Cleveland Department of Public Health, the Cuyahoga County Board of Health, the Health Improvement Partnership- Cuyahoga, The Center for Health Affairs, and University Hospitals. Data sources that informed the 2018 Cuyahoga County CHA include interviews from community stakeholders, existing community perceptions gathered by other organizations, and secondary data from national, state and local sources.

Thirteen “Top Health Needs” were identified in the Cuyahoga County CHA, as follows:

#### Quality of Life

1. Poverty
2. Food insecurity

#### Chronic Disease

3. Lead poisoning
4. Cardiovascular disease
5. Childhood asthma
6. Diabetes

#### Health Behaviors

7. Flu vaccination rates
8. Tobacco use/COPD
9. Lack of physical activity

#### Mental Health and Addiction

10. Suicide/mental health
11. Homicide/violence/safety
12. Opioids/substance use disorders

#### Maternal/Child Health

13. Infant mortality

### Ventilator Usage and Prevention

One of the many reasons patients are transferred to long-term acute care hospitals is the need for prolonged ventilation. According to the National Institute of Health and the National Heart, Lung, and Blood Institute, there are several primary conditions that can impair lung function in the long term, including pneumonia, COPD, upper spinal cord injuries and other conditions that affect the nerves and muscles involved in breathing, brain injury, stroke, and drug overdose.<sup>21</sup>

The most common cause of COPD in the United States is cigarette usage and smoke. Nearly 75 percent of those who have COPD smoke or used to smoke regularly. Pipe, cigar, and other types of tobacco smoke can also contribute to COPD. The largest preventive measure for COPD therefore is not beginning or ceasing the smoking and inhalation of tobacco. Breathing in secondhand smoke, air pollution, and chemical fumes or dusts from surrounding environment also are causes of COPD.

Additionally, some people who have asthma can develop COPD. Treating and preventing asthma is therefore another intervention for reducing COPD.<sup>22</sup>

### Dialysis and Renal Failure Prevention

Another condition that leads to patients being transferred to long-term acute care hospitals in chronic kidney disease and resulting renal failure, leading to the need for dialysis. Kidney disease is more likely to develop if a person has diabetes, high blood pressure, heart disease, family history of kidney failure, and obesity. Presently, three out of four new cases of kidney failure are caused by diabetes and high blood pressure. A healthy lifestyle including proper nutrition, regular physical activity, and maintaining a healthy weight status can prevent chronic kidney disease and resulting kidney failure.<sup>23</sup>

### Preventing Falls among Older Adults

As the population in the community ages, the risk of falls among older adults also increases. According to the Ohio Department of Health, an older adult falls every minute on average in the state, resulting in three deaths daily, two hospitalizations each hour and an ED visit every six and one-half minutes. Falls are the leading cause of injury-related ED visits, hospitalizations, and deaths for Ohioans aged 65 and older, and the total lifetime costs of unintentional falls among those aged 65 years and older is estimated at nearly \$2 billion.<sup>24</sup>

The Centers for Disease Control and Prevention has identified conditions that are most likely to contribute to falling. These risk factors include: lower body weakness, vitamin D deficiency, difficulties with walking and balance, use of medicines (such as tranquilizers, sedatives, or

---

<sup>21</sup> <https://www.nhlbi.nih.gov/health-topics/ventilatorventilator-support>

<sup>22</sup> <https://www.nhlbi.nih.gov/health-topics/copd>

<sup>23</sup> <https://www.cdc.gov/kidneydisease/basics.html>

<sup>24</sup> <https://odh.ohio.gov/wps/portal/gov/odh/know-our-programs/core-violence-injury-prevention-program/falls-among-older-adults>

## APPENDIX B – SECONDARY DATA ASSESSMENT

antidepressants), vision problems, foot pain or poor footwear, and home hazards and dangers (such as broken or uneven steps and throw rugs or clutter).<sup>25</sup>

To prevent falls, the CDC proposes the following steps to reduce risk factors:

1. Talk to your doctor to evaluate your risk for falling and review your medicines to see if any may contribute to fall risk factors (dizziness or sleepiness);
2. Do leg strength and balance exercises;
3. Have your eyes checked by an eye doctor at least once a year; and
4. Make your home safer by eliminating trip risks, adding grab bars inside bathing facilities, putting railings on both sides of the stairs, and making sure your home is well lit.

### Preventing Stroke

Stroke is another condition that leads to the need for ventilator usage and long-term acute care. The Centers for Disease Control and Prevention has identified different strategies for stroke prevention, organized into healthy living habits and other medical conditions prevention.<sup>26</sup>

#### Healthy Living Habits

1. Healthy diet, as choosing healthy meal and snack options (eating foods low in saturated fats, trans fat, and cholesterol) can help prevent stroke;
2. Healthy weight, as being overweight or obese increases your risk;
3. Physical activity, helping you stay at a healthy weight and lowering your cholesterol and blood pressure levels;
4. No smoking; and
5. Limited Alcohol.

#### Other Medical Conditions Prevention

1. Check cholesterol, at least once every five years;
2. Control blood pressure;
3. Control diabetes;
4. Treat heart disease;
5. Comply with all medication regimes;
6. Continued dialogue with your doctor and health care team.

Cleveland Clinic has also studied stroke and its risk and prevention. Through this work, the Cleveland Clinic has identified the following stroke prevention strategies:<sup>27</sup>

- Control your blood pressure;
- Find out if you have heart disease (especially an irregular heartbeat known as atrial fibrillation, or AF);

---

<sup>25</sup> <https://www.cdc.gov/homeandrecreationsafety/falls/adultfalls.html>

<sup>26</sup> [https://www.cdc.gov/stroke/medical\\_conditions.htm](https://www.cdc.gov/stroke/medical_conditions.htm)

<sup>27</sup> <https://my.clevelandclinic.org/health/diseases/17519-stroke/prevention>

## APPENDIX B – SECONDARY DATA ASSESSMENT

- Do not smoke;
- Lower your cholesterol;
- Control your blood sugar levels if you have diabetes;
- Eat a healthy diet;
- Get regular exercise;
- Limit your alcohol use; and
- Control your weight.

### Preventing Traumatic Brain Injuries (TBI)

Traumatic Brain Injuries (TBIs), caused by impact to the head that disrupts the normal function of the brain, lead to a substantial number of deaths and permanent disabilities annually. Additionally, brain injuries can lead to the need for long-term acute care. The Ohio Department of Health reports that in 2014, 2,327 people in Ohio died where TBI was reported as a cause of death, 6,768 were hospitalized with a TBI, and 111,757 were treated and released from emergency departments with a TBI.<sup>28</sup>

According to the Centers for Disease Control and Prevention, the number of TBI-related emergency department visits, hospitalizations, and deaths increased by 53 percent from 2006 to 2014. In 2014, an average of 155 people in the United States died each day from injuries that include a TBI.<sup>29</sup> The CDC prescribes several strategies for preventing traumatic brain injuries, including:

- Using seat belts every time you ride in a vehicle;
- Never driving while under the influence of alcohol or drugs;
- Wearing a helmet or headgear for a multitude of activities, including for: bike riding, motorcycle riding, snowmobile, scooter, all-terrain vehicle, contact sports (football, ice hockey, boxing, etc.), using in-line skate, skateboarding, riding a horse, skiing or snowboarding, and others;
- Preventing older adult falls; and
- Making homes and play areas safer for children (through installing window guards to prevent falling out windows, safety gates on stairways, and making playgrounds with soft material underneath).

---

<sup>28</sup> [https://odh.ohio.gov/wps/portal/gov/odh/know-our-programs/violence-injury-prevention-program/media/specialemphasisreport\\_tbi\\_in\\_ohio\\_2014](https://odh.ohio.gov/wps/portal/gov/odh/know-our-programs/violence-injury-prevention-program/media/specialemphasisreport_tbi_in_ohio_2014)

<sup>29</sup> [https://www.cdc.gov/traumaticbraininjury/get\\_the\\_facts.html](https://www.cdc.gov/traumaticbraininjury/get_the_facts.html)

## APPENDIX C – COMMUNITY INPUT PARTICIPANTS

---

Individuals from a wide variety of organizations and communities participated in the interview process (**Exhibit 36**).

**Exhibit 36: Interviewee Organizational Affiliations**

Organization	
American Heart Association	Fairhill Partners
Benjamin Rose Institute on Aging	Greater Cleveland Food Bank
Boys & Girls Clubs of Cleveland	Health Policy Institute of Ohio
Carmella Rose Health Foundation	Kent State School of Public Health
Center for Community Solutions	NAMI
Center for Health Affairs	Ohio Department of Health
City of Cleveland	The Catholic Health Association
City of Cleveland - Department of Public Health	The Centers (for families and children)
Cleveland Foundation	The Gathering Place
Cuyahoga County Board of Health	United Cerebral Palsy
Cuyahoga Metropolitan Housing Authority	United Way of Greater Cleveland
Esperanza	Western Reserve Area Agency on Aging



# Select Specialty Hospital – Cleveland Fairhill

## Implementation Strategy Report 2019



**Select Specialty Hospital – Cleveland Fairhill**  
**11900 Fairhill Road**  
**Cleveland, Ohio 44120**

2019 Community Health Needs Assessment  
Implementation Strategy for Years 2020 - 2022  
As required by Internal Revenue Code § 501(r)(3)

Date Approved by  
Authorized Governing Body: May 1, 2020

Authorized Governing Body: The Board of Directors of Cleveland Clinic  
Rehabilitation Hospitals, LLC

Contact: Cleveland Clinic  
chna@ccf.org

## TABLE OF CONTENTS

I.	Introduction and Purpose _____	4
II.	Community Definition _____	6
III.	How Implementation Strategy was Developed _____	6
IV.	Summary of the Community Health Needs Identified _____	6
V.	Needs Hospital Will Address _____	7
VI.	Needs Hospital Will Not Address _____	9

# Select Specialty Hospital – Cleveland Fairhill

## 2019 IMPLEMENTATION STRATEGY

### I. INTRODUCTION AND PURPOSE

This written plan is intended to satisfy the requirements set forth in Internal Revenue Code Section 501(r)(3) regarding community health needs assessments and implementation strategies. The overall purpose of the implementation strategy process is to align the hospital's limited resources, program services and activities with the findings of the community health needs assessment ("CHNA").

#### A. Description of Hospital

Select Specialty Hospital – Cleveland Fairhill, LLC (Cleveland Fairhill) is a long-term acute care hospital (LTACH) that provides continued acute care for catastrophically ill/injured patients through an interdisciplinary approach. The facility's average length of stay is 25 to 30 days. The most common patient diagnoses include respiratory failure with ventilator weaning, complex wounds, organ failure, acute neurological illness, injury, and multi-system failure.

Cleveland Fairhill is a hospital designed specifically for patients who have had a catastrophic illness or injury, and who have been stabilized in an intensive care setting but are far too ill to be discharged to short term acute care units, acute rehabilitation centers, skilled nursing facilities or home care. The facility's most common patient classification is the Chronic Critically Ill (CCI) patient. These patients have in common a catastrophic illness or injury requiring prolonged recovery. The typical clinical manifestations of CCI include severe nutritional deficits, endocrine dysfunction, immune dysfunction, bone marrow dysfunction, bone loss, weakness, wounds, delirium, depression, and a high burden of suffering. Cleveland Fairhill provides an alternative setting to the traditional acute care hospital and offers many clinical programs including but not limited to:

- Pulmonary – ventilator weaning
- Medically complex – including multi-system and/or organ dysfunction, infectious disease
- Wound management
- Brain injury

The clinical services departments at Cleveland Fairhill consist of Nursing, Respiratory Therapy, Case Management, Rehabilitative Therapy, Infection Control, Pharmacy, and Nutritional Services. The hospital's method of care delivery is an interdisciplinary team approach. Case Managers ensure that a comprehensive interdisciplinary plan of care is developed for each patient. This plan of care includes a focus on early discharge planning, patient and family involvement, and resolving barriers to the desired discharge. Treatment of each patient is based upon the collaboration of each clinical discipline's specific assessment and the

development of interdisciplinary patient goals as a part of the Interdisciplinary Team Meeting. The attending physician maintains the authority for the clinical team's plan of care and interventions. Results of care are reported in individual clinical discipline progress notes and during a team conference evaluation of barriers and problems. The patient, when possible, and the family are active participants in the planning, treatment, and evaluation processes. There are admission and discharge meetings with the patient and family to ensure involvement in the plan of care.

A patient assessment includes the systematic collection of subjective and objective data and a thorough analysis of the data. The goal of the assessment is to determine the appropriate scope of care considering pertinent patient data including but not limited to physical, psychological and social needs. Further assessment is based upon initial data collection activities, diagnosis, patient/family care goals, and the patient's response to previous/concurrent care. Each patient is reassessed at regularly scheduled intervals and anytime that the patient's condition warrants. Reassessment enables caregivers to determine the patient's response to treatment measures. The physician is notified of any significant change in the patient's condition. Each clinical discipline has developed standards for assessment and reassessment. All assessment information is collected, documented and integrated to identify and prioritize the patient's care needs so that appropriate care decisions are made.

Select Medical utilizes data available through the Center for Medicare and Medicaid Services to evaluate expected patient volume on an annual basis. It is a key part of the continuous market evaluation as a component of business development. The Director of Business Development provides ongoing monitoring and analysis of trends, issues, and data to improve the systems of communication between our hospitals and the greater population.

## B. Hospital Mission:

Cleveland Fairhill will provide an exceptional patient care experience that promotes healing and recovery in a compassionate environment.

## C. Patient Care Goals:

1. To continue the healing process of the catastrophically/chronic critically ill patient in a safe environment where a comprehensive clinical team approach will provide care geared to maximize recovery.
2. To allow for the involvement of family and significant others in the patient's recovery and fully participate in the discharge planning process.
3. To provide for the most appropriate discharge plan, to the most appropriate level of care, that considers the need for further recovery, the involvement of continued care providers (especially families), and the conservation of the patient's benefit resources.

## II. COMMUNITY DEFINITION

For purposes of this report, Cleveland Fairhill's community is defined as 51 ZIP codes in Cuyahoga County, Ohio, accounting for over 61 percent of the hospital's recent inpatient volumes. The community was defined by considering the geographic origins of the hospital's discharges in calendar year 2017 and the hospital's target populations and principal functions as a long-term acute care hospital. The total population of Cleveland Fairhill's community in 2017 was 1,255,781.

## III. HOW IMPLEMENTATION STRATEGY WAS DEVELOPED

This Implementation Strategy was developed by a team of members of senior leadership at Cleveland Fairhill and Cleveland Clinic representing several departments of the organizations. Each year the team will review this Implementation Strategy to determine whether changes should be made to better address the health needs of its communities.

## IV. SUMMARY OF THE COMMUNITY HEALTH NEEDS IDENTIFIED

Secondary data and key stakeholder interviews were reviewed to identify and analyze the needs identified by each source. The top health needs of the Cleveland Fairhill community are those that are both supported by secondary data and raised by key stakeholders. Needs identified in the 2019 CHNA are listed below by category.

### Needs the Hospital Will Address:

- Access to Affordable Health Care
- Chronic Disease Prevention and Management

### Needs the Hospital Will Not Address:

- Socioeconomic Concerns

See the 2019 CHNA for Cleveland Fairhill [www.clevelandclinic.org/CHNAReports](http://www.clevelandclinic.org/CHNAReports).

## V. NEEDS HOSPITAL WILL ADDRESS

### **Access to Affordable Healthcare**

Access to affordable healthcare was identified as a significant need in the 2019 CHNA for Cleveland Fairhill. Access to care is challenging for some residents within the community, particularly to primary care, mental health, dental care, addiction treatment services, and pain management services. Specific access barriers include cost, poverty, inadequate transportation, a lack of awareness regarding available services, and an undersupply of providers. Initiatives for 2020 – 2022 include:

#### Access Initiatives

The LTACH supports the concept of seamless care as an important aspect of the continuum of care. An initial assessment to determine appropriateness for admission is conducted by a Clinical Liaison, upon referral by a healthcare professional including physicians, registered nurses, and/or external case managers. Cleveland Fairhill provides continuous feedback to other area facilities in order to encourage appropriate referrals.

A smooth transition to the LTACH is facilitated by the Clinical Liaison who oversees the patient referred, meets with the family when possible, and determines the ongoing need for acute care. Family tours are encouraged prior to admission so that the family and patient are familiar with the services provided and understand the initial goals of care.

#### Financial Assistance

Cleveland Fairhill provides medically necessary care to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. Cleveland Fairhill has a financial assistance policy that provides free or discounted care based on financial need. Financial assistance may also be provided to patients on a case-by-case basis under certain medical circumstances. Through regular communication and collaboration, Cleveland Fairhill educates other facilities in the community on the financial assistance policy. The financial assistance policy can be found here: [Cleveland Fairhill Financial Assistance](#)

## Chronic Disease Prevention and Management

Chronic disease prevention and the management of chronic disease were identified as needs within the 2019 CHNA for Cleveland Fairhill. Chronic diseases, including addiction and mental health, heart disease, hypertension, obesity, diabetes, COPD, and others are prevalent in the community served by the hospital. These health issues all contribute to conditions that lead to the need for long-term acute care. Initiatives for 2020 – 2022 include:

- Cleveland Fairhill employs cardiologists and provides additional services through Professional Service Agreements (PSAs). PSAs allow for efficient access to programs and services not offered on-site at each LTACH. Upon each patient's admission, he/she is evaluated on numerous measures to ensure the most appropriate baseline is set and a plan of care is put into action. The current state of cardiac health is a component of the admission assessment.
- Each patient's current cognitive status is taken into account as a component of the interdisciplinary plan of care. The utilization of available community resources to support a patient's mental as well as physical well-being is key to ensuring continued recovery.
- Cleveland Fairhill provides respiratory therapy coverage 24/7 for its patient population which includes patients requiring mechanical ventilation, tracheostomy care, and Continuous Positive Airway Pressure (CPAP); Bilevel Positive Airway Pressure (BiPAP) therapies. The utilization of services is assessed prior to admission, at admission, as well as throughout each patient's stay.
- The specialty hospital follows assessment and documentation workflows that align with Joint Commission guidelines. This includes Richmond Agitation-Sedation Score (RASS) score utilization in conjunction with pain assessment to minimize pain medications as much as possible, focusing on patient education at the time of discharge. Annual education on the protocols and processes surrounding pain assessment, document, and care are completed by registered nurses.
- Cleveland Fairhill ensures that providers receive regular continuing education related to chronic disease management.
- As a specialty hospital, Cleveland Fairhill provides rehabilitative treatment to patients as a component of its care provision with the goal of returning a patient to his/her highest possible functioning level, with the greatest independence, to continue as a productive community resident. The hospital will continue providing patient and family education to enhance their knowledge, skills, and behaviors necessary to fully benefit from the healthcare interventions provided.
- Cleveland Fairhill encourages family members and caregivers to participate in local caregiver support programs in order to promote optimal mental and physical health.

## VI. NEEDS HOSPITAL WILL NOT ADDRESS

### **Socioeconomic Concerns**

The 2019 CHNA for Cleveland Fairhill identified poverty and other social determinants of health as significant concerns. Poverty has significant implications for health, including the ability for households to access health services, afford basic needs, and benefit from prevention initiatives. Problems with housing, educational achievement, and access to workforce training opportunities also contribute to poor health.

Due to the specialized nature of the clinical care provided by Cleveland Fairhill, and the facility's focus on serving catastrophically ill/injured patients, the facility has chosen not to address socioeconomic concerns at the community level within the 2020-2022 Implementation Strategy. Cleveland Fairhill will rely on other governmental and/or nonprofit organizations within the community to commit resources to addressing broad socioeconomic concerns. Although Select Specialty Hospital - Cleveland Fairhill will not address this need directly, it does support governmental and other organizations in their efforts to impact poverty and other social determinants of health.

For more information regarding Cleveland Clinic - Select Medical Community Health Needs Assessments and Implementations Strategy Reports, please visit [www.clevelandclinic.org/CHNAReports](http://www.clevelandclinic.org/CHNAReports) or contact [CHNA@ccf.org](mailto:CHNA@ccf.org).



